



BIOHIMFARM

600910, RUSSIA, Vladimir oblast, Raduzhniy, p/o box 74,
tel.: +7 (4922) 37-91-39

The price-list from 01.07.2020.

on veterinary preparations of own production for bulk buyers

No	Name	Indication	Packing	Amount in a package	Price with VAT (RUB)	Registration country
----	------	------------	---------	---------------------	----------------------	----------------------

ANTIPARASITIC DRUGS

ANTHELMINTIC

1	Albaver / suspension / (HDC 20%)	Anthelmintic of a wide spectrum of action with microelements. Composition: 1 ml contains: 100 mg of albendazole, 4 mg of ivermectin, 1.08 mg of sodium selenate, 2.5 mg of cobalt sulfate, 1.2 mg of zinc sulphate and excipients.	1 liter	12 cans	1 071,8 py6./pcs	The Republic of Kazakhstan
			100 ml	20 vials	131 py6./vial	
			500 ml	15 vials	547,1 py6./pcs	
2	Albendazole 10% (suspension) (HDC 20%)	Anthelmintic of a wide spectrum of action. Composition: 1 ml contains 100 mg of albendazole.	1 liter	12 cans	900 py6./pcs	The Republic of Kazakhstan
			100 ml	20 vials	115 py6./vial	
			500 ml	15 vials	460 py6./pcs	
3	Ivermezo / injection solution / (HDC 20%)	It is used to treat and prevent parasitic diseases. Composition: 1 ml contains 10 mg ivermectin and excipient.	10 ml	50 vials	29 py6./vial	Republic of Belarus
			100 ml	40 vials	194,2 py6./vial	
			50 ml	72 vialona	108,37 py6./vial	

INSECTOACARICIDE DRUGS

4	Aksamit / Repellent / (HDC 20%)	Insectoacaricide drug. Composition: 1 ml contains 100 mg of diethyltoluamide, 2.5 mg of cypermethrin.	100 ml aerosol can	15 cylinders	135 py6./pcs	does not require registration / The Republic of Kazakhstan
			170 ml aerosol can	15 cylinders	186,3 py6./pcs	
5	Aksamit-Neo / long-acting drug / (HDC 20%)	Insectoacaricide drug. Reinforced compound, long-lasting up to 30 days. Composition: in 1 ml contains cypermethrin-2 mg, neopinamine-2 mg, piperonyl butoxide-5 mg and excipients.	170 ml aerosol can	15 cylinders	160 py6./pcs	does not require registration / The Republic of Kazakhstan
			500 ml non-propellant spray bottle	15 cylinders	370 py6./pcs	
6	Biostomasan / analog "Neostomazana" / (HDC 20%)	Insectoacaricide drug. Composition: 1 ml contains 50 mg of transmix (mixtures of isomers of synthetic pyrethroid β-cypermethrin), 5 mg of tetramethrin and excipients.	1 liter	12 cylinders	1 027,12 py6./l	does not require registration / The Republic of Kazakhstan
7	Hyphlofos (long-acting drug) (HDC 20%)	Insectoacaricide drug for protecting animals from ectoparasites and flying insects, fighting insects in the premises. Composition: 1 ml contains 2 mg of cypermethrin, 2 mg of tetramethrin, 100 mg of diethyltoluamide, 10 mg of piperonyl butoxide and a solvent-prolongator.	170 ml aerosol can	15 cylinders	145 py6./pcs	The Republic of Kazakhstan
8	Insectan (HDC 20%)	Insectoacaricide drug. Composition: 1 ml contains 1.5 mg of cypermethrin, 1.5 mg of diazinon and excipient.	100 ml aerosol can	15 cylinders	102,5 py6./pcs	does not require registration / The Republic of Kazakhstan
			170 ml aerosol can	15 cylinders	130 py6./pcs	
			500 ml non-propellant spray bottle	15 cylinders	410 py6./pcs	
9	Perol (HDC 10%)	Insectoacaricidal drug for treating animals and surfaces of equipment, for the destruction of ectoparasites, cockroaches and flying insects. Composition: in 1 ml contains 9 mg of permethrin and excipient.	100 ml spray bottle	15 cylinders	95,2 py6./vial	The Republic of Kazakhstan
			170 ml aerosol can	15 cylinders	123,9 py6./pcs	
			500 ml non-propellant spray bottle	15 cylinders	195,2 py6./pcs	
10	Cydem (HDC 20%)	Insectoacaricide drug. Composition: 1 ml contains 2 mg of cypermethrin and excipient.	100 ml spray bottle	15 spray vials	101,5 py6./vial	The Republic of Kazakhstan
			170 ml aerosol can	15 cylinders	131,5 py6./pcs	
11	Cyperol (HDC 20%)	Insectoacaricide drug. Composition: in 1 ml contains permethrin - 2 mg, cypermethrin - 2 mg and excipient.	500 ml non-propellant spray bottle	15 cylinders	200 py6./pcs	does not require registration / The Republic of Kazakhstan
12	Cypek 10% (HDC 10%)	Concentrate of emulsion. Applied against lice, flies, gnats, ixodids and scabies mites, chicken puffers and other ectoparasites of animals. Composition: 1 ml contains 100 mg of cypermethrin and excipients.	1 liter	12 cylinders	590 py6./l	The Republic of Kazakhstan
			100 ml	20 vials	80 py6./vial	
			500 ml	12 vials	350 py6./pcs	
13	Cypek 25% (HDC 10%)	Concentrate of emulsion. Applied against lice, flies, gnats, ixodids and scabies mites, chicken puffers and other ectoparasites of animals. Composition: 1 ml contains 250 mg of cypermethrin and excipients.	1 liter	12 cylinders	965 py6./l	The Republic of Kazakhstan

COMMON RESTORATIVE AND TONIC DRUGS

RESTORATIVE AND TONIC DRUGS

14	Atimpanol / oral solution / (HDC 20%)	Preservative remedy Composition: 100 ml contains lactic acid-4,0 g, polyvinyl alcohol-3,2 g, aerosil (pyrogen dioxide)-0,24 g, formalin-0,5 g, cheserite-4,0 g and auxiliary matter	200 ml	35 vials	44,75 py6./vial	The Republic of Kazakhstan
15	Butafarm / injection solution / (HDC 20%)	It is used for the prevention and treatment of animals and poultry, when it is necessary to normalize the metabolism, increase the overall resistance, productivity, accelerate growth and development. Composition: in 1 ml contains 100 mg butophosphane, 0,05 mg cyanocobalamin and excipient.	100 ml	10 vials	254,24 py6./vial	The Republic of Kazakhstan
16	Vitamin B12 / solution for injection / (HDC 20%)	They are used for the prevention of vitamin B12 deficiency and the treatment of related diseases, stimulation of growth and development of animals. Composition: 1 ml contains 500 µg of vitamin B12.	10 ml	50 vials	25 py6./vial	The Republic of Kazakhstan
			100 ml	35 vials	100 py6./vial	
17	Vitamin C / solution for injection / (HDC 20%)	Applied with vitamin C vitamin hypovitaminosis, to treat related diseases, improve growth and development of young animals. Composition: 1 ml contains 50 mg of ascorbic acid.	10 ml	50 vials	20,34 py6./vial	The Republic of Kazakhstan
			100 ml	35 vials	36,2 py6./vial	
18	Glucodiox / solution for injection / analog "Kalfozet" (HDC 20%)	Applied for the treatment of farm animals in tetany, paresis, poisoning, toxicosis, calcium, phosphorus and magnesium exchange disorders, increase in growth and weight gain in young animals. Composition: in 1 ml contains calcium gluconate - 328,2 mg, calcium glycerophosphate - 81,3 mg, magnesium chloride - 41,8 mg and excipients.	100 ml	35 vials	159,66 py6./vial	The Republic of Kazakhstan
19	Glucose 40% / solution for injection / (HDC 10%)	Prevention and treatment of postpartum paresis, spasmophilia, shock, rickets, post-detainment, prenatal and post-natal deposits, allergic diseases. Composition: 1 ml contains 400 mg of dextrose (glucose).	100 ml	35 vials	21 py6./vial	Russia
			200 ml	30 vials	42,5 py6./vial	
			400 ml	15 vials	60 py6./vial	
20	Glucose 5% / solution for injection / (HDC 10%)	Prevention and treatment of postpartum paresis, spasmophilia, shock, rickets, post-detainment, prenatal and post-natal deposits, allergic diseases. Composition: 1 ml contains 50 mg of dextrose (glucose).	100 ml	35 vials	17,6 py6./vial	Russia
			200 ml	30 vials	34,8 py6./vial	
			400 ml	15 vials	44 py6./vial	

21	Glucet / injection for solution / (НДС 10%)	General restorative and tonic for blood loss and dehydration of the body in animals, with dyspepsia and bronchopneumonia of young animals, with infections and intoxications, as an antipyretic and expectorant. Composition: 1 ml contains 1 mg of camphor, 200 mg of glucose, 150 mg of ethyl alcohol.	100 ml	35 vials	28 руб./vial	The Republic of Kazakhstan
----	---	---	--------	----------	--------------	----------------------------

22	Glucatin / injection for solution / (HDC 10%)	General restorative and tonic for blood loss and dehydration of the body in animals, with dyspepsia and bronchopneumonia of young animals, with infections and intoxications, as an antipyretic and expectorant. Composition: 100 ml contains 20 g of glucose, 15 ml of ethyl alcohol, water.	100 ml	35 vials	24 py6./vial	Russia / The Republic of Kazakhstan
23	Calcium borogluconate / solution for injection / (HDC 10%)	Prevention and treatment of postpartum paresis, spasmodophilia, shock, rickets, post-detainment, prenatal and post-natal deposits, allergic diseases. Composition: 100 ml contains 20.0 grams of calcium gluconate, 1.85 g of boric acid, 1.3 g of sodium tetraborate.	100 ml	35 vials	28,9 py6./vial	Russia
			200 ml	30 vials	57,1 py6./vial	
			400 ml	15 vials	88,4 py6./vial	
24	Calcium Chloride 10% / solution for injection / (HDC 10%)	In the animal organism, it activates the reticuloendothelial system and the phagocytic function of leukocytes, increases the tone of sympathetic innervation, increases the release of adrenaline, accelerates the production of many enzymes. Composition: 100 ml contains 10 g of calcium chloride.	100 ml	35 vials	18,4 py6./vial	Russia
			200 ml	30 vials	36,9 py6./vial	
			400 ml	15 vials	49,9 py6./vial	
25	Caffeine sodium benzoate 20% / solution for injection / (HDC 20%)	To stimulate cardiac activity. Composition: in 100 ml contains 20 grams of caffeine sodium benzoate.	10 ml	50 vials	15,25 py6./vial	The Republic of Kazakhstan
			100 ml	35 vials	66,1 py6./vial	
26	Tincture of cheating (HDC 10%)	Applied in the treatment of atony and hypotension of the prednagus, tympanii rumen ruminants and as an emetic for pigs and dogs. Composition: in 100 ml contains 0.09% -0.11% of protolaverin alkaloids and excipient.	100 ml	35 vials	49,5 py6./vial	Republic of Belarus / The Republic of Kazakhstan
27	Sodium chloride 0,9% / isotonic solution for injection / (HDC 10%)	Prevention and treatment of postpartum paresis, spasmodophilia, shock, rickets, post-detainment, prenatal and post-natal deposits, allergic diseases. Composition: in 100 ml contains 0.9 grams of sodium chloride.	100 ml	35 vials	17 py6./vial	Russia
			200 ml	30 vials	33,2 py6./vial	
			400 ml	15 vials	42,8 py6./vial	
28	Novocain 0.5% / solution for injection / (HDC 10%)	Local and infiltration anesthesia, staging of blockades in surgical practice. Composition: in 100 ml contains 0.5 g of novocaine (procaine hydrochloride).	100 ml	35 vials	19 py6./vial	Russia
			200 ml	30 vials	35,9 py6./vial	
29	Novocain 2% / solution for injection / (HDC 10%)	Local and infiltration anesthesia, staging of blockades in surgical practice. Composition: in 100 ml contains 2.0 g of novocaine (procaine hydrochloride).	100 ml	35 vials	22,8 py6./vial	Russia
			200 ml	30 vials	45,3 py6./vial	
30	Rehydrate Kit 3 packs / for oral administration / (HDC 10%)	Assign newborn calves for prevention and early treatment of acute gastrointestinal diseases of non-infectious etiology. Composition: 1 pack contains 50 grams of sodium chloride, 5 g of ascorbic acid, 200 g of glucose, 200 g of polyvinylpyrrolidone, 30 g of aminoacetic acid.	497 g	1 packovka	409,1 py6./pcs	The Republic of Kazakhstan
31	Ringer-Locke / solution for injection / (HDC 10%)	Prevention and treatment of postpartum paresis, spasmodophilia, shock, rickets, post-detainment, prenatal and post-natal deposits, allergic diseases. Composition: in 100 ml as active substances contains 0.8 g of sodium chloride, 0.02 g of potassium chloride, 0.02 g of calcium chloride, 0.02 g of sodium bicarbonate, 0.1 g of glucose.	100 ml	35 vials	16,9 py6./vial	Russia
			200 ml	30 vials	33,8 py6./vial	
			1 pot 830 tablets	12 pots	150 py6./pcs	
32	Tablets "Kayod" (HDC 10%)	Treatment and prevention of iodine deficiency. Composition: in 1 table. contains 0.006 g of potassium iodide.	1 can 1665 tablets	12 buckets	260 py6./pcs	Republic of Belarus
			1 can 3330 tablets	6 buckets	507 py6./pcs	

ANTIBACTERIAL AND ANTI-INFLAMMATORY DRUGS

DRUGS FOR THE TREATMENT AND PREVENTION OF SKIN DISEASES, HOOVES AND WOUND TREATMENT

33	Alimospray / drug without antibiotics / (HDC 10%)	Treatment of wounds in animals. Composition: 100 ml contains 9.6 grams of aluminum powder and a film-forming filler.	100 ml aerosol can	15 cylinders	150 py6./pcs	Russia
			100 ml spray bottle	15 spray vials	130 py6./vial	
			170 ml aerosol can	15 cylinders	205 py6./pcs	
34	Betulon / analog "KubatoI", drug without antibiotics / (HDC 20%)	Film-forming antiseptic preparation for the treatment of skin diseases (abrasions, dermatitis, eczema, slowly healing wounds), claws (surfaces of panaritiums, etc.) and hooves (suppuration of horny arrows, etc.) in animals. Composition: 1 ml contains 130 mg of birch tar and a film-forming filler.	350 ml aerosol can	15 cylinders	245 py6./pcs	The Republic of Kazakhstan
			100 ml aerosol can	12 cylinders	118 py6./pcs	
			170 ml aerosol can	12 cylinders	148 py6./pcs	
35	Biosol / drug without antibiotics / (HDC 20%)	Antiseptic for external use. Composition: 1 ml contains chlorhexidine bigluconate - 3 mg, brilliant green - 0.6 mg and excipients.	100 ml aerosol can	12 cylinders	148 py6./pcs	The Republic of Kazakhstan
			350 ml aerosol can	12 cylinders	297,5 py6./pcs	
			100 ml aerosol can	15 cylinders	175 py6./pcs	
36	Biosanite / aerosol preparation / (HDC 10%)	Treatment of eczema, dermatitis of hoof diseases, ulcers and abscesses. Composition: 1 ml contains birch tar-125 mg, florfenicol -43 mg and excipients.	170 ml aerosol can	15 cylinders	230 py6./pcs	Республика Armenia
			350 ml aerosol can	15 cylinders	310 py6./pcs	
			100 ml aerosol can	15 cylinders	175 py6./pcs	
37	Wolphazole / drug without antibiotics / (HDC 10%)	All kinds of animals. For prophylaxis and treatment of walfarthosis, with trauma to the skin after shearing, castration, tail amputation and accidental skin trauma in the summer. Composition: 1 ml contains chlorophos-38 mg, ethyl acetate-203 mg, erythromycin-2.5 mg, birch-tar-8.6 mg and auxiliary substances.	1 non-propellant spray bottle	8 pcsyк	515 py6./pcs	Республика Armenia / The Republic of Kazakhstan
			100 ml aerosol can	15 cylinders	125 py6./pcs	
			170 ml aerosol can	15 cylinders	165 py6./pcs	
			500 ml non-propellant spray bottle	15 cylinders	305 py6./pcs	
38	Iodogel / drug without antibiotics / (HDC 10%)	Antiseptic gel with a wide spectrum of bactericidal, antifungal, antiviral and antiprotozoal action for the treatment of lesions of the skin and mucous membranes. Does not cause tissue irritation and accelerates their recovery. Composition: 1 ml contains 13 mg of potassium iodide, 1 mg of bismuth total, 1 mg of prednisolone.	10 ml syringe	160 syringeob	32 py6./pcs	The Republic of Kazakhstan
39	Ointment Akamaksan (HDC 10%)	Treatment of trichophytosis, microsporia, eczema, dermatitis and other skin diseases in animals. Composition: 1 g contains sulfur-100 mg, zinc oxide-100 mg and auxiliary substances.	100 g	60 pots	55 py6./pcs	The Republic of Kazakhstan
			200 g	24 pots	87 py6./pcs	
			500 g	12 pots	198 py6./pcs	
40	Ointment Ichthyol 10% (HDC 10%)	Treatment of wounds, burns, eczema and dermatitis. Composition: 100 g contains 10 g of ichthyol and an ointment base.	200 g	24 pots	83 py6./pcs	Russia
			400 g	12 pots	159,8 py6./pcs	
41	Ointment Ichthyol 20% (HDC 10%)	Treatment of wounds, burns, eczema and dermatitis. Composition: 100 gr contains 20 g of ichthyol and an ointment base.	200 g	24 pots	120 py6./pcs	Russia
			400 g	12 pots	228,2 py6./pcs	
42	Camphor ointment 10% (HDC 20%)	Treatment of mastitis, myositis, neuralgia, etc. Composition: 100 gr contains 10 g camphor and an ointment base.	200 g	24 pots	107,5 py6./pcs	The Republic of Kazakhstan
			500 g	12 pots	250 py6./pcs	
			1 kg can	12 buckets	701,3 py6./pcs	
43	Ointment mastisept-A (HDC 10%)	Antiseptic, anti-inflammatory, analgesic and emollient for external use in mastitis, phlegmon, inflammatory diseases and bruises of muscles, ligaments and joints, neuralgia and rheumatic diseases. Composition: 1 gram contains 50 mg of camphor, 50 mg of turpentine, 20 mg of menthol, 20 mg of methyl salicylate, 1 mg of novocaine, 1 mg of prednisolone, 1 mg of thymol, and a conductor that provides deep penetration of active substances through the skin, emollient.	100 g	60 pots	87 py6./pcs	The Republic of Kazakhstan
			100 ml aerosol can	15 cylinders	135 py6./pcs	
			150 g tube	35 tube	185 py6./pcs	
			170 ml aerosol can	15 cylinders	175 py6./pcs	
			200 g	24 pots	180 py6./pcs	
44	Powder spray / drug without antibiotics / (HDC 20%)	With lesions with exudation, itching, fungal diseases, various eczema, dermatitis, necrotic processes, skin, ear, tail, castration wounds, hoof inflammation, nipple cracking. Composition: in 1 gram 77 mg of zinc oxide, 2 mg of chlorhexidine, talc.	170 ml aerosol can	15 cylinders	183,05 py6./pcs	The Republic of Kazakhstan
			100 ml aerosol can	12 cylinders	181,5 py6./pcs	
			170 ml aerosol can	12 cylinders	255 py6./pcs	
45	Ranosept (analogue of Chemi Spray "INVESA") (HDC 20%)	It has antiseptic, wound-healing, antimicrobial and anti-inflammatory properties. Composition: in 1 ml contains 17 mg of chlorotetracycline hydrochloride, 4 mg of gentianviolet and auxiliary substances.	100 ml	35 vials	81,5 py6./vial	Russia
			50 ml	48 vials	45,5 py6./vial	
46	Iodine solution 5% (HDC 10%)	Antimicrobial agent. Composition: in 100 ml contains 5 g of iodine and auxiliary substances.	100 ml aerosol can	15 cylinders	223 py6./pcs	The Republic of Kazakhstan
			100 ml spray bottle	15 spray vials	200 py6./vial	
			170 ml aerosol can	15 cylinders	280 py6./pcs	

ANTIBACTERIAL AND ANTI-INFLAMMATORY DRUGS

48	Aklatsin / suspension for injection / (HDC 20%)	They are used for cattle, pigs, dogs and cats for respiratory diseases of bacterial etiology, postpartum infections, metritis, mastitis, skin and soft tissue infection. Composition: 1 ml contains 140 mg of amoxicillin trihydrate, 40 mg of clavulanic acid, excipient.	100 ml	40 vials	290 py6./pcs	The Republic of Kazakhstan
49	Amogen /suspension for injection/ (HDC 20%)	For the treatment of cattle, pigs, dogs and cats in diseases of bacterial etiology. Composition: 1 ml contains 170 mg of amoxicillin trihydrate, 40 mg of gentamicin sulfate.	100 ml	40 vials	350 py6./vial	The Republic of Kazakhstan
50	Amoxicillin 15% / suspension for injection / (HDC 20%)	To treat purulent mastitis of bacterial etiology and induce udder in lactating animals. Composition: in 1 ml contains 150 mg of amoxicillin trihydrate, 1 mg of prednisolone and prolonging base.	100 ml	40 vials	205 py6./vial	The Republic of Kazakhstan
			50 ml	6 vials	135 py6./vial	
51	Benzylpenicillin sodium salt / powder for injection / (HDC 20%)	Treatment of bacterial infections. Composition: 1 bottle contains 1000000 units of benzylpenicillin sodium salt.	1 vialon - 0,6 g	50 vials	12,3 py6./vial	The Republic of Kazakhstan
52	Bioks 200 / Oxytetracycline 20% Injection / (HDC 20%)	reatment of trichomoniasis of cattle, balantidiosis and dysentery of pigs, gistomonosis of geese and turkeys. Composition: 1 ml contains 200 mg of oxytetracycline hydrochloride in the form of a magnesium complex, novocaine, ascorbic acid.	100 ml	40 vials	225 py6./vial	The Republic of Kazakhstan
			50 ml	6 vials	135 py6./vial	

53	Virulon Plus / solution for injection / (HДС 20%)	Applied for the treatment of young animals in infectious diseases of mixed viral-bacterial etiology. Compositon: 1 ml contains 55 mg of enrofloxacin, 25 mg of ribavirin, 10 mg of trimethoprim.	100 ml	40 vials	457,63 руб./vial	The Republic of Kazakhstan
----	--	---	--------	----------	------------------	----------------------------

54	Gentamicin Sulfate 4% / solution for injection / (НДС 10%)	Treatment of respiratory and gastrointestinal diseases, peritonitis, meningitis, sepsis, etc. Composition: 1 ml contains 40 mg of gentamicin sulfate	100 ml	35 vials	97,4 pyб./vial	Russia
55	Iodinol / topical solution / (НДС 10%)	Treatment of gastrointestinal diseases, enterocolitis, gastroenteritis, dyspepsia, infected skin wounds, pyoderma. Also used for washing the nose, pharynx, with vaginitis, cervicitis, endometritis, etc. Composition: in 1 liter contains 1 g of iodine, 3 g of potassium iodide, 9 g of polyvinyl alcohol.	1 liter	12 cans	87,5 pyб./pcs	The Republic of Kazakhstan
56	Metofulin BHF / Powder for oral administration / (НДС 20%)	Treatment of infectious diseases of animals and poultry of bacterial and mycoplasma etiology. Composition: 1 g contains 110 mg of metronidazole, 10 mg of furazolidone, 25 mg of oxytetracycline hydrochloride.	1 kg	10 pots	730 pyб./pcs	The Republic of Kazakhstan
			50 g	60 pots	66,11 pyб./pcs	
			500 g	20 pots	384,7 pyб./pcs	
57	Oxytetracycline hydrochloride / powder for injection / (НДС 10%)	Treatment of trichomoniasis of cattle, balantidiosis and dysentery of pigs, gistomonosis of geese and turkeys. Composition: 1 mg contains at least 860 µg oxytetracycline hydrochloride.	1 φl - 1 g of active substance	50 vials; 600 vials	13,2 pyб./vial	Russia
58	Oxifur / powder for oral administration / (НДС 10%)	Complex antibacterial drug. Composition: 1 kg contains 50 g of oxytetracycline hydrochloride, 20 g of trimethoprim, 100 g of sulfamethoxazole, 40 g of paracetamol, 1.5 g of bromhexine hydrochloride, 20 g of ascorbic acid, 5 million units of vitamin A, and excipient.	1 kg	15 packages	945 pyб./pcs	The Republic of Kazakhstan
59	Sorbitox / suspension for oral administration / (НДС 20%)	Treatment of gastrointestinal diseases of calves and piglets. Composition: 1 ml contains 40 mg of glucose, 9 mg of sodium chloride, 1.5 mg of furazolidone, 10 mg of sulfadiazine, 30 mg of sodium thiosulfate.	500 ml	24 vialona	102,2 pyб./pcs	The Republic of Kazakhstan
60	Streptomycin sulfate / powder for injection / (НДС 10%)	Treatment of bacterial infections. Composition: 1 g 730 mg of streptomycin sulfate.	1 φl - 1 g of active substance	50 vials; 600 vials	14 pyб./vial	Республика Армения / The Republic of Kazakhstan
61	Streptopen / suspension for injection / (НДС 20%)	Applied for the treatment of bacterial diseases in farm animals. Composition: in 1 ml contains 200 mg of benzylpenicillin procaine, 200 mg dihydrostreptomycin sulfate.	100 ml	40 vials	495 pyб./vial	The Republic of Kazakhstan
62	Levomycetin tablets (НДС 10%)	Treatment of bacterial infections. Composition: in 1 table. 0.5 g contains 0.25 g of levomycetin.	50 ml	6 vials	295 pyб./vial	Республика Армения
			pot 100 tablets	12 pots	395 pyб./pcs	
63	Oxytetracycline hydrochloride tablets (НДС 20%)	Treatment of bacterial infections. Composition: 0.25 g of active substance oxytetracycline hydrochloride and auxiliary substances.	pot 500 tablets	18 pots	1 887,3 pyб./pcs	The Republic of Kazakhstan
			pot 250 tablets	24 pots	490 pyб./pcs	
64	Tablets of tetracycline hydrochloride (НДС 20%)	Treatment of bacterial infections. Composition: 1 table contains 0.5 g of tetracycline hydrochloride.	pot 100 tablets	35 pots	505 pyб./pcs	The Republic of Kazakhstan
			pot 250 tablets	24 pots	1 240,2 pyб./pcs	
65	Tylosin BHF 200 / injection solution / (НДС 20%)	Treatment of pneumonia, mastitis, pneumoenteritis, dysentery, arthritis, atrophic rhinitis, agalactia, etc. Composition: 1 ml contains 200 mg of tylosin tartrate.	10 ml	50 vials	37,5 pyб./vial	The Republic of Kazakhstan
			100 ml	35 vials	160 pyб./vial	
			50 ml	40 vials	130,6 pyб./vial	
66	Tylosin 50 (5%) / antibiotic, injection / (НДС 10%)	Treatment of pneumonia, mastitis, pneumoenteritis, dysentery, arthritis, atrophic rhinitis, agalactia, etc. Composition: 1 ml contains 50 mg of tylosin tartrate.	10 ml	50 vials	23 pyб./vial	Republic of Belarus
			100 ml	10 vials	115 pyб./vial	
			50 ml	6 vials	70,5 pyб./vial	
67	Trimeramim BHF / powder for oral administration / (НДС 20%)	Treatment of bacterial, septic, infectious diseases of farm animals (except dairy cows). Composition: 1 gram contains 0.1 g of sulfamerazine, 0.02 g of trimethoprim.	1 kg	15 packages	653 pyб./pcs	The Republic of Kazakhstan
68	Trimeramim BHF / tablet 0.7 g / (НДС 20%)	Treatment of bacterial, septic, infectious diseases of farm animals (except dairy cows). Composition: 1 gram contains 0.4 g of sulfamerazine, 0.08 g of trimethoprim.	pot 100 tablets	35 pots	210 pyб./pcs	The Republic of Kazakhstan
			pot 500 tablets	18 pots	972,3 pyб./pcs	
69	Pharmaseptol (НДС 20%)	A complex preparation of a broad spectrum of bactericidal and bacteriostatic action. Composition: 100 g contains 8.0 g of norsulfazole, 7.0 g of sulfine, 3.0 g of trimethoprim, 4.5 g of oxytetracycline hydrochloride, 2.5 g of tiosine tartrate and auxiliary substances.	1 pot - 12 g	30 pots	28 pyб./pcs	The Republic of Kazakhstan
			1 pot - 500 g	4 packages	667,3 pyб./pcs	
			1 kg powder	15 packages	1 325,7 pyб./pcs	
70	Ceftipharm (НДС 20%)	Applied for the treatment of infectious diseases of bacterial etiology caused by microorganisms sensitive to ceftiofur. Composition: 1 ml contains 50 mg of ceftiofur in the form of hydrochloride, auxiliary components.	100 ml	35 vials	408 pyб./vial	The Republic of Kazakhstan
71	Enrosan 10% / solution for injection / (НДС 20%)	Applied with diseases of the respiratory system, digestive tract and urogenital system caused by bacteria and mycoplasmas. Composition: 1 ml contains 100 mg of enrofloxacin.	100 ml	35 vials	122,03 pyб./vial	The Republic of Kazakhstan
72	Enrosan 5% / solution for injection / (НДС 20%)	Applied with diseases of the respiratory system, digestive tract and urogenital system caused by bacteria and mycoplasmas. Composition: 1 ml contains 50 mg of enrofloxacin.	100 ml	40 vials	94,57 pyб./vial	The Republic of Kazakhstan

OBSTETRIC AND GYNECOLOGICAL DRUGS

GYNECOLOGICAL DRUGS

73	Biometrosanit / intrauterine foam-forming tablets / (НДС 10%)	Treatment and prevention of inflammatory processes of the uterus. Composition: 1 tablet of 20 g contains 1.2 grams of furazolidone, 720000 ED of nystatin, 0.6 g of metronidazole, a foaming base.	20 tablets	240 tablets	35 pyб./pcs	Республика Армения
74	(НДС 20%)	меняют при атонии и гипотонии преджелудков и кишечника, мочевого пузыря, а также для профилактики и лечения гинекологических заболеваний различной этиологии (для повышения тонуса матки, при слабости родовых потуг, при задержании последа у сельскохозяйственных животных) Состав: в 100 мл препарата содержится 2 (Аминокарбонил) - N,N,N три метилэтанаминия хлорид 50 мг, натрия хлорид - 900 мг и вода для инъекций.	100 ml	35 vials	367,92 pyб./vial	The Republic of Kazakhstan
75	Ihglyukovit / solution for injection / (НДС 10%)	Treatment and prevention of endometritis and subinvolution of the uterus of cows. Composition: 1.0 cm3 contains 35 mg of ichthyol, 200 mg of glucose, 20 mg of ascorbic acid, 20 mg of ethyl alcohol and water for injection for 1.0 cm3.	100 ml	35 vials	32 pyб./vial	Republic of Belarus
			200 ml	30 vials	57 pyб./vial	
			400 ml	15 vials	89 pyб./vial	
76	Ichthyofur / intrauterine sticks / (НДС 20%)	Prophylaxis and treatment of endometritis in cows. Composition: 1 stick of 10 g contains 0.5 g of ichthyol, 0.5 g of furazolidone and polyethylene oxide or gelatin glycerol base.	10 pcs in a package	100 packages	77 pyб./pack	The Republic of Kazakhstan
77	Iodometrine / intrauterine foam-forming tablets, drug without antibiotics / (НДС 20%)	Applied for the prevention and treatment of gynecological diseases (endometritis, metritis) and postpartum pathologies. Composition: 1 tablet of 20 g contains potassium iodide-624 mg, bismuth salts with total bismuth -336 mg carbacholin-2 mg, and also a foaming drug base.	20 tablets	240 tablets	25,43 pyб./pcs	The Republic of Kazakhstan
78	Iodosept / drug without antibiotics / (НДС 20%)	Treatment of endometritis and mastitis. Composition: 1 ml contains 13 mg of potassium iodide, 1 mg of bismuth salt with total bismuth, 1 mg of prednisolone in a hydrophilic base and excipients.	10 ml syringe	20 syringeov; 160 syringeov	30,5 pyб./pcs	The Republic of Kazakhstan
			100 ml aerosol can	12 cylinders	171,8 pyб./pcs	
			100 ml syringe жане	4 syringea	187,2 pyб./pcs	
79	Metaseptol-A / intrauterine solution / (НДС 10%)	Prophylaxis and treatment of endometritis. Composition: as active Composition in 1 ml: tylosin tartrate - 5 mg, neomycin - 10 mg (as neomycin sulfate), carbachol - 0.03 mg, β-carotene - 0.08 mg, and as auxiliary substances 1, 2-propylene glycol 360 mg, distilled water - up to 1ml.	1 liter	12 cans	300 pyб./pcs	The Republic of Kazakhstan / The Republic of Kazakhstan
80	Metricid / suspension for intrauterine administration / (НДС 10%)	Treatment and prevention of endometritis in cows, mares, camels, pigs, sheep and goats. Especially effective in subacute and chronic forms. Composition: 1 ml contains as active ingredient cefazolin - 100 mg, prednisolone - 0.05 g, and filler up to - 1 ml.	20 ml syringe	120 syringeov	120 pyб./pcs	The Republic of Kazakhstan / The Republic of Kazakhstan
81	Metrobiotic / intrauterine foam-forming tablets / (НДС 10%)	Treatment and prevention of postpartum infections of genital organs in cows and pigs. Composition: in 1 table of 20 g contains 0.25 g of neomycin sulfate, 0.45 g of oxytetracycline hydrochloride, 8,10000 IU of nystatin, a foaming base.	20 tablets	240 tablets	30,55 pyб./pcs	Republic of Belarus
82	Ricol / intrauterine foam-forming tablets / (НДС 10%)	Applied for the treatment of gynecological diseases. Composition: 1 gram of 20 g contains 1 gram of rifampicin, 11,000,000 M.E. colistin sulfate, carbacholin and a foaming base.	20 tablets	240 tablets	55 pyб./pcs	Republic of Belarus
83	Eridone / intrauterine foam-forming tablets / (НДС 10%)	Treatment and prevention of septic processes of the vulva, vagina, cervix (vulvitis, cervicitis, salpingitis, metritis) in animals. Composition: 1 gram of 20 g contains 2 g of florfenicol, 2 g of oxytetracycline hydrochloride, 1 g of sulfadiazine, 8,10000 IU of nystatin, 0.002 g of carbacholin and a foaming base.	20 tablets	240 tablets	75 pyб./pcs	The Republic of Kazakhstan

HORMONAL DRUGS

84	Oxytocin 10 units /injection/ (НДС 10%)	It is used for mild labor, delayed aftertreatment, atony, hypotension and inflammation of the uterus, uterine bleeding, with reflex agalactics, mastitis. Composition: 1 ml contains 10 units of oxytocin (a synthetic analogue of the polypeptide hormone of the posterior part of the pituitary gland).	10 ml	50 vials; 600 vials	18,3 pyб./vial	Republic of Belarus
			100 ml	35 vials	65 pyб./vial	

85	Progesterone 2.5% / solution for injection / (НДС 10%)	It reduces excitability and contraction of the uterus musculature, promotes the development of the zygote and placenta, stimulates the functional activity of the breast. Composition: 1 ml contains 25 mg of progesterone and a solvent of olive oil up to 1 ml.	10 ml	50 vials	37,8 руб./vial	Republic of Belarus
----	---	--	-------	----------	----------------	---------------------

86	Estropharm / injection solution / (HDC 20%)	They are used intramuscularly to synchronize sexual hunting in cows and heifers; treatment of cows with lutein and follicular cysts. Composition: 1 ml contains 0.25 mg of cloprostenol D.	10 ml 2 ml	50 vials 450 vials	218,64 py6./vial 54,91 py6./vial	The Republic of Kazakhstan
ANTI-MASTITIS DRUGS						
87	Amoxiclavumast (HDC 10%)	To treat purulent mastitis of bacterial etiology and induce udder in lactating animals. Composition: 1 ml contains 20 mg of amoxicillin trihydrate, 5 mg of clavulanic acid, 1 mg of prednisolone and a prolonging base.	10 ml	20 syringeob	34 py6./pcs	The Republic of Kazakhstan
88	Vinilin / drug without antibiotics / (HDC 10%)	Treatment of wounds of various origin, endometritis, all types of mastitis and induration of the udder. Composition: 1 ml contains 500 mg of polyvinyl (polyvinylbutyl ether).	100 ml aerosol can 170 ml aerosol can	9 cylinders; 72 cylinders 6 cylinders; 54 cylinders	195 py6./pcs 259,5 py6./pcs	The Republic of Kazakhstan
89	Iodomast / drug without antibiotics / (HDC 20%)	Treatment of all types of mastitis. Composition: in 100 ml contains 0.1 g of potassium iodide, 0.12 g of bismuth salts, 0.12 g of prednisolone, 1 g of procaine, prolonging basis.	10 ml	20 syringeob; 160 syringeob	32,54 py6./pcs	The Republic of Kazakhstan
90	Mastikan (HDC 10%)	Treatment of all kinds of acute mastitis and udder inducing in lactating cows, sheep and goats. Composition: 1 ml contains kanamycin sulfate-10 mg, benzylpenicillin sodium salt-20 mg, prednisolone-1 mg and excipient.	10 ml	20 syringeob; 160 syringeob	33 py6./pcs	The Republic of Kazakhstan
91	Mastyclox (HDC 20%)	It is used to start animals, prevent udder induration and develop the glandular part of the udder. Composition: 1 ml contains 50 mg of cloxacillin, prolonging the base.	10 ml 100 ml	20 syringeob; 160 syringeob 35 vials	49,5 py6./pcs 301,7 py6./vial	The Republic of Kazakhstan
92	Maskitol-forte (HDC 10%)	Applied for the treatment of clinical and subclinical mastitis cattle during lactation; otitis and skin infections in cats and dogs; balanoposthitis in animals. Composition: 1 ml of the drug contains tetracycline hydrochloride 20 mg, neomycin sulfate 25 mg, bacitracin 3,5 mg, auxiliary and formative substances.	10 ml	20 syringeob; 160 syringeob	34 py6./pcs	Republic of Belarus
93	Mastisan A (HDC 20%)	Treatment and prevention of various forms of inflammation of the udder (all types of mastitis). Composition: 1 dose (5 ml) contains benzylpenicillin sodium salt - 100 000 units; streptomycin sulfate 100 100 U; sulfadimezin - 0.35 g; base up to 5 ml.	10 ml 100 ml	20 syringeob; 160 syringeob 35 vials	33 py6./pcs 95,1 py6./vial	The Republic of Kazakhstan
94	Mastitrim (HDC 20%)	For treatment of purulent mastitis in cows, buffaloes, sheep and goats. Composition: 1 ml contains 4 mg of trimethoprim, 20 mg of sulfadiazine, 1 mg of prednisolone, a prolonging base.	10 ml	20 syringeob; 160 syringeob	29 py6./pcs	The Republic of Kazakhstan
95	Mastiforte (HDC 20%)	For treatment of purulent mastitis. Composition: 1 ml contains cloxacillin sodium salt - 20 mg, amoxicillin trihydrate - 7.5 mg, and excipients - up to 1 ml.	10 ml	20 syringeob; 160 syringeob	37,5 py6./pcs	The Republic of Kazakhstan
96	Mastodinon (HDC 20%)	They are used to treat mastitis in lactating cows. Composition: 1 ml of the drug contains 10 mg of benzylpenicillin sodium, 10.5 mg of neomycin sulfate, 10,000 IU of procaine penicillin, 10 mg dihydrostreptomycin sulfate, 1 mg prednisolone and excipients.	10 ml	20 syringeob; 160 syringeob	34,6 py6./pcs	The Republic of Kazakhstan
97	Neolink (HDC 20%)	Treatment of purulent mastitis. Composition: 1 ml contains 15 mg of neomycin sulfate, 20 mg of lincomycin hydrochloride, 1 mg of prednisolone, a sustained base.	10 ml	20 syringeob; 160 syringeob	31,4 py6./pcs	The Republic of Kazakhstan
98	Neomast-forte (HDC 10%)	To treat mastitis and induce udders in cows. Composition: 1 ml contains 50 mg sulfadimezina, 5.6 mg erythromycin, 10 mg quinazole, 1 mg prednisolone, excipient.	10 ml	20 syringeob	32 py6./pcs	The Republic of Kazakhstan
99	Trimast (HDC 20%)	Treatment of all types of mastitis in animals. Composition: 1 ml contains oxytetracycline hydrochloride-50 mg, furazolidone-50 mg, prednisolone-1 mg and excipient.	10 ml	20 syringeob; 160 syringeob	32,5 py6./pcs	The Republic of Kazakhstan
100	Cefamast (HDC 10%)	For the treatment of serous and catarrhal mastitis in cows. Composition: 1 ml contains 50 mg of cefazolin, 1 mg of prednisolone, 10 mg of novocaine and a fillment.	10 ml	20 syringeob; 160 syringeob	42,71 py6./pcs	The Republic of Kazakhstan / The Republic of Kazakhstan

DERATIZATIONAL DRUGS

101	Glue from rodents and insect pests (HDC 20%)	A universal remedy for the destruction of mice and rats, flies, garden pests. DOES NOT CONTAIN POISONS.	150 g tube pot 250 g	35 tube 24 pots	135 py6./pcs 183 py6./pcs	does not require registration
102	Universal glue trough for catching insects and rodents "МУКХОЛОВ" single-layer (HDC 20%)	It is designed for the destruction of insects and rodents in residential, public and livestock premises (poultry houses, pigsties, barns) meat processing plants, industrial and subsidiary premises, grain storage facilities, both inside and outside buildings, in forests, gardens, orchards, greenhouses. It is also used as a hunting belt on fruit trees. DOES NOT CONTAIN POISONS.	width 15 cm, length 1 m width 15 cm, length 10 m width 15 cm, length 2 m width 15 cm, length 5 m width 30 cm, length 1 m width 30 cm, length 10 m width 30 cm, length 2 m width 30 cm, length 5 m width 8 cm, length 1 m width 8 cm, length 10 m width 8 cm, length 2 m width 8 cm, length 5 m	24 24 24 24 24 24 24 24 24 24 24 24	50 py6./pcs 264 py6./pcs 75 py6./pcs 151,3 py6./pcs 95 py6./pcs 550 py6./pcs 142,5 py6./pcs 297,5 py6./pcs 32,54 py6./pcs 158,3 py6./pcs 47,8 py6./pcs 83,39 py6./pcs	does not require registration
103	Universal glue trough for catching insects and rodents "МУКХОЛОВ" two-layer (HDC 20%)	It is designed for the destruction of insects and rodents in residential, public and livestock premises (poultry houses, pigsties, barns) meat processing plants, industrial and subsidiary premises, grain storage facilities, both inside and outside buildings, in forests, gardens, orchards, greenhouses. It is also used as a hunting belt on fruit trees. DOES NOT CONTAIN POISONS.	width 15 cm, length 1 m width 15 cm, length 2 m width 15 cm, length 5 m width 30 cm, length 1 m width 30 cm, length 10 m width 30 cm, length 2 m width 30 cm, length 5 m	24 24 24 24 24 24 24	76,27 py6./pcs 107,8 py6./pcs 231,3 py6./pcs 132,3 py6./pcs 871 py6./pcs 200 py6./pcs 448 py6./pcs	does not require registration

OTHER PHARMACEUTICAL GROUPS

VACCINES

104	(HDC 20%)	цина ассоциированная, инактивированная против трихофитии парнокопытных (к.р.с., м.р.с., оленей, буйволов, зебу).	1 фл. - 10 доз	50 vials	50 py6./fl	The Republic of Kazakhstan
-----	-----------	--	----------------	----------	------------	----------------------------

DISINFECTING PREPARATIONS

105	(HDC 20%)	It has bactericidal, sporicidal, virucidal action. Does not cause corrosion of metal products. Composition: 100 ml contains 4 g of glutaraldehyde, 3.2 grams of glyoxal, 10 g of alkyl(dimethyl)benzylammonium chloride.	1 liter	10 cans	157,9 py6./l	The Republic of Kazakhstan
106	Glac (HDC 20%)	It has bactericidal, sporicidal, virucidal action. Does not cause corrosion of metal products. Composition: 100 ml contains 4 g of glutaraldehyde, 3.2 grams of glyoxal, 10 g of alkyl(dimethyl)benzylammonium chloride.	1 liter	10 cans	345 py6./l	The Republic of Kazakhstan
107	Theodez-60 (HDC 20%)	Disinfectant in the form of a concentrated solution, intended for disinfection of vetnador objects for the purpose of preventing infectious animal diseases. Composition: 100 ml contains 60 grams of tetramethylene diethylene tetramine and Trilon B.	1 liter	12 vials	610,16 py6./pcs	does not require registration

OTHER DRUGS

108	Paint for labeling animals "Rainbow" green 350 ml / spray / (HDC 20%)	For marking all kinds of animals. Composition: solvent, pigment, hydrocarbon propellant and auxiliary components.	350 ml aerosol can	15 cylinders	175 py6./pcs	does not require registration
109	Paint for labeling animals "Rainbow" red 350 ml / spray / (HDC 20%)	For marking all kinds of animals. Composition: solvent, pigment, hydrocarbon propellant and auxiliary components.	350 ml aerosol can	15 cylinders	175 py6./pcs	does not require registration

110	Paint for labeling animals "Rainbow" blue 350 ml / spray / (НДС 20%)	For marking all kinds of animals. Composition: solvent, pigment, hydrocarbon propellant and auxiliary components.	350 ml aerosol can	15 cylinders	175 pyб./pcs	does not require registration
-----	--	--	--------------------	--------------	--------------	----------------------------------



BIOHIMFARM

600910, RUSSIA, Vladimir oblast, Raduzhniy, p/o box 74,
tel.: +7 (4922) 37-91-39

The price-list from 01.07.2020.

for veterinary preparations of other manufacturers for wholesale buyers

No	Name	Indication	Packing	Amount in a package	Price with VAT (RUB)	Registration country
----	------	------------	---------	---------------------	----------------------	----------------------

ANTIBACTERIAL AND ANTI-INFLAMMATORY DRUGS

ANTIBACTERIAL AND ANTI-INFLAMMATORY DRUGS

1	(НДС 10%)	лечения бактериальных заболеваний КРС, лошадей, верблюдов, овец, коз, свиней, собак, кошек, кроликов и домашней птицы (кур, уток, гусей, индеек, перепелов, голубей), локализованных в ЖКТ, дыхательных путях, мочеполовой системе, вызванных микроорганизмами, чувствительными к комбинации сульфадиметоксин-энрофлоксацин-триметоприм. Состав: в 1 мл содержится 100 мг энрофлоксацина.	100 ml	50 vials	210 руб./vial	Republic of Belarus
			100 ml	50 vials	225,06 руб./vial	
			100 ml	50 vials	260 руб./vial	
			1 kg powder	15 packages	842 руб./vial	
			100 ml	50 vials	115 руб./vial	

OBSTETRIC AND GYNECOLOGICAL DRUGS

GYNECOLOGICAL DRUGS

2	(НДС 10%)	твор для внутримышечного применения. Состав: в 1 мл содержится 90000 ЕД колистина сульфата, 10000 ЕД тилозина тартрата, 1,7 пропранолола.	1 liter	9 cans	527 руб./vial	Republic of Belarus
			1 liter	15 vials	411,86 руб./fl	
			1 liter	15 vials	407,7 руб./fl	

ANTI-MASTITIS DRUGS

3	(НДС 10%)	таб: в 1 шприце содержится 350 мг цефалексина и 35 мг гентамицина.	10 ml syringe	32/256	49,84 руб./syringe	Republic of Belarus
---	-----------	--	---------------	--------	--------------------	---------------------

We carry out scientific and practical advisory activities.

At the request of the client, the preparation of the preparation can be changed. At the same time, the price is considered individually.
We will carry out the dispatch of air, - auto, - railway - transport.
Call us! Order it! Come!

Any form of payment. For regular customers we provide discounts.
Our address and details:
600910, Vladimir Region, Raduzhny, Kvarstal 16
Mailing address: 600910, Vladimir Region, Raduzhny, PO Box 74
БИК 041708602
ИНН 3328464312
ОКПО 89767728
р/с 40702810510000007988
к/с 3010181000000000602
ОТДЕЛЕНИЕ №8611 ПАО СБЕРБАНКА РОССИИ Г. ВЛАДИМИР

WITH ATTENTION,
LOVE AND CARE!