



BIOHIMFARM

600910, RUSSIA, VLADIMIR OBLAST,
RADUZHNYI, P/O BOX 74, TEL.: 8 (49254)32-650, 32-795

The price-list from 01.11.2018.
on veterinary preparations of own production for bulk buyers

№	Name	Indication	Packing	Amount in a package	Price with VAT (RUB)	Registration country
---	------	------------	---------	---------------------	----------------------	----------------------

ANTIPARASITIC DRUGS

ANTHELMINTIC

1	Albaver / suspension /	Anthelmintic of a wide spectrum of action with microelements. Composition: 1 ml contains: 100 mg of albendazole, 4 mg of ivermectin, 1.08 mg of sodium selenate, 2.5 mg of cobalt sulfate, 1.2 mg of zinc sulphate and excipients.	1 liter	12 cans	545 py6./pcs	The Republic of Kazakhstan
			100 ml	20 vials	80.5 py6./vial	
			30 ml syringe	48 pcs. in pack.	115 py6./pcs	
			500 ml	15 vials	289.3 py6./pcs	
2	Albezamide / tabl./	Anthelmintic of a wide spectrum of action. Composition: 1 tablet contains: 175 mg oxytocosanide, 360 mg albendazole and excipients.	pot 100 tablets	60 pots	400 py6./pcs	The Republic of Kazakhstan
			pot 250 tablets	60 pots	950 py6./pcs	
			pot 50 tablets	60 pots	250 py6./pcs	
			pot 500 tablets	60 pots	2 000 py6./pcs	
3	Albezamide Forte / suspension for oral administration /	Anthelmintic of a wide spectrum of action. Composition: 1 ml contains 50 mg of albendazole, 37.5 mg of oxytocosanide and excipients.	1 liter	12 cans	750 py6./pcs	The Republic of Kazakhstan
			100 ml	35 vials	120 py6./pcs	
			500 ml	15 vials	500 py6./pcs	
4	Albendazole 10% (suspension)	Anthelmintic of a wide spectrum of action. Composition: 1 ml contains 100 mg of albendazole.	1 liter	12 cans	470 py6./pcs	The Republic of Kazakhstan
			100 ml	20 vials	60 py6./vial	
			500 ml	15 vials	260 py6./pcs	
5	Albendazole 2.5% (suspension)	Anthelmintic of a wide spectrum of action. Composition: 1 ml contains 25 mg of albendazole.	1 liter	12 cans	190 py6./vial	The Republic of Kazakhstan
			100 ml	20 vials	39 py6./vial	
			500 ml	15 vials	95 py6./vial	
6	Albendazole 20% (suspension)	Anthelmintic of a wide spectrum of action. Composition: 1 ml contains 200 mg of albendazole.	1 liter	12 cans	890 py6./pcs	The Republic of Kazakhstan
			100 ml	20 vials	115 py6./vial	
			500 ml	15 vials	460 py6./pcs	
7	Albendazole BHF-100 /powder /	Anthelmintic of a wide spectrum of action. Composition: 1 gram contains 100 mg of albendazole.	1 kg powder	15 packages	580 py6./pcs	The Republic of Kazakhstan
			500 g powder	4 packages	290 py6./pcs	
8	Albendazole BHF-200 /powder /	Anthelmintic of a wide spectrum of action. Composition: 1 gram contains 200 mg of albendazole.	1 kg powder	15 packages	989.9 py6./pcs	The Republic of Kazakhstan
			500 g powder	4 packages	490 py6./pcs	
9	Albendazole BHF-200 / tablets /	Anthelmintic of a wide spectrum of action. Composition: in 1 table. contains 200 mg of albendazole.	pot 100 tablets	60 pots	135 py6./pcs	The Republic of Kazakhstan
			pot 250 tablets	24 pots	310 py6./pcs	
			pot 50 tablets	60 pots	75 py6./pcs	
			pot 500 tablets	18 pots	590 py6./pcs	
10	Albendazole BHF-360 / tablets /	Anthelmintic of a wide spectrum of action. Composition: 1 tablet contains 360 mg of albendazole.	package 1000 tablets	10 packages	1 195 py6./pcs	The Republic of Kazakhstan
			pot 100 tablets	60 pots	170 py6./pcs	
			pot 1000 tablets	10 packages	1 380 py6./pcs	
			pot 250 tablets	24 pots	365 py6./pcs	
11	Albendazole BHF-500 powder /	Anthelmintic of a wide spectrum of action. Composition: 1 gram contains 500 mg of albendazole.	pot 50 tablets	60 pots	90 py6./pcs	The Republic of Kazakhstan
			pot 500 tablets	18 pots	810 py6./pcs	
			1 kg powder	15 packages	1 630 py6./pcs	
			500 g powder	4 packages	850 py6./pcs	
12	Albendazole BHF-500 / tablets /	Anthelmintic of a wide spectrum of action. Composition: in 1 table. contains 500 mg of albendazole.	pot 100 tablets	60 pots	221 py6./pcs	The Republic of Kazakhstan
			pot 250 tablets	24 pots	521 py6./pcs	
			pot 50 tablets	60 pots	115 py6./pcs	
			pot 500 tablets	18 pots	1 036 py6./pcs	
13	Ivergel	Oral antiparasitic remedy of a wide spectrum of action. It is used for the treatment of helminthiasis and gastrophilia of horses. Composition: 1 ml contains 4 mg ivermectin and excipients.	package 1000 tablets	10 packages	2 052 py6./pcs	The Republic of Kazakhstan
			1 liter	12 cans	1 100 py6./pcs	
			100 ml	10 vials	250 py6./pcs	
			30 ml syringe	48 pcs. in pack.	150 py6./pcs	
14	Ivermezone / injection solution /	It is used to treat and prevent parasitic diseases. Composition: 1 ml contains 10 mg ivermectin and excipient.	10 ml	50 vials	25 py6./vial	Republic of Belarus
			100 ml	40 vials	190 py6./vial	
			450 ml	15 vials	790 py6./vial	
			50 ml	72 vialoha	105 py6./vial	
15	Ivermezone 2% / solution for injection /	It is used to treat and prevent parasitic diseases. Composition: 1 ml contains 20 mg ivermectin and excipient.	10 ml	50 vials	40 py6./pcs	The Republic of Kazakhstan
			100 ml	40 vials	265 py6./pcs	
			50 ml	72 vialoha	145 py6./pcs	
			10 ml	50 vials	120 py6./vial	
16	Cloverine / solution for injection /	Treatment of cattle, sheep, goats with lesions of gastrointestinal and pulmonary nematodes, trematodes, gadfly larvae, scabies mites, lice. Composition: 1 ml contains 10 mg ivermectin, 125 mg clozantel.	100 ml	10 vials	600 py6./vial	The Republic of Kazakhstan
			200 ml	30 vials	800 py6./vial	
			450 ml	15 vials	1 350 py6./vial	
			50 ml	6 vials	250 py6./vial	
17	Closantel 10% / solution for injection /	For the prevention and therapy of parasitic animal diseases. Composition: 1 ml contains 100 mg of clozantel and excipients.	100 ml	40 vials	260 py6./vial	The Republic of Kazakhstan
			200 ml	30 vials	480 py6./vial	
18	Closantel 20% / solution for injection /	For the prevention and therapy of parasitic animal diseases. Composition: 1 ml contains 200 mg of clozantel and excipients.	100 ml	40 vials	450 py6./vial	The Republic of Kazakhstan
			200 ml	30 vials	480 py6./vial	
19	Prazipharm / tablets/	Anthelmintic of a wide spectrum of action. Composition: in 1 table. contains 50 mg of praziquantel, 150 mg of pyrantel pamoate.	pot 6 tablets	30 pots	95 py6./pcs	The Republic of Kazakhstan
			1 liter	12 cans	1 050 py6./pcs	
20	Prazipharm gel	Anthelmintic of a wide spectrum of action. Composition: 1 ml contains 5 mg ivermectin, 25 mg praziquantel, 10 mg albendazole, 5 mg fenbendazole, excipient.	100 ml	10 vials	140 py6./pcs	The Republic of Kazakhstan
			30 ml syringe	48 pcs. in pack.	150 py6./pcs	
			10 ml	50 vials	150 py6./pcs	
21	Theylerpharm	An antiparasitic drug is used to treat cattle theileriosis. Composition: 1 ml contains 50 mg of buparvacon and adjuvants.	100 ml	40 vials	1 300 py6./pcs	The Republic of Kazakhstan
			50 ml	72 vialoha	700 py6./pcs	
			1 liter	12 cans	1 300 py6./pcs	
22	Fenbafarm gel	Anthelmintic of a wide spectrum of action. Composition: in 1 ml contains 150 mg of fenbendazole, excipient.	100 ml	10 vials	180 py6./pcs	The Republic of Kazakhstan
			30 ml syringe	48 pcs. in pack.	150 py6./pcs	
			1 liter	12 cans	1 300 py6./pcs	

INSECTOACARICIDE DRUGS

23	Aksamit / Repellent /	Insectoacaricide drug. Composition: 1 ml contains 100 mg of diethyltoluamide, 2.5 mg of cypermethrin.	1 l non-propellant spray bottle	7 cylinders	270 py6./pcs	does not require registration / The Republic of Kazakhstan
			1, 3, 5, 10 litres	12 cylinders	260 py6./l	
			100 ml aerosol can	15 cylinders	87 py6./pcs	
			100 ml spray bottle	15 spray vials	60 py6./vial	
			170 ml aerosol can	15 cylinders	120 py6./pcs	
24	Aksamit-Neo / long-acting drug /	Insectoacaricide drug. Reinforced compound, long-lasting up to 30 days. Composition: in 1 ml contains cypermethrin-2 mg, neopinamine-2 mg, piperonyl butoxide-5 mg and excipients.	1 l non-propellant spray bottle	7 cylinders	302 py6./pcs	does not require registration / The Republic of Kazakhstan
			1, 3, 5, 10 litres	12 cylinders	295 py6./l	
			170 ml aerosol can	15 cylinders	115 py6./pcs	
			500 ml non-propellant spray bottle	15 cylinders	178 py6./pcs	
25	Blotomasan / analog "Neostomazana" /	Insectoacaricide drug. Composition: 1 ml contains 50 mg of transmix (mixtures of isomers of synthetic pyrethroid β -cypermethrin), 5 mg of tetramethrin and excipients.	1, 3, 5, 10 litres	12 cylinders	1 010 py6./l	does not require registration / The Republic of Kazakhstan
26	Hyphlofos (long-acting drug)	Insectoacaricide drug for protecting animals from ectoparasites and flying insects, fighting insects in the premises. Composition: 1 ml contains 2 mg of cypermethrin, 2 mg of tetramethrin, 100 mg of diethyltoluamide, 10 mg of piperonyl butoxide and a solvent-prolongator.	1 l non-propellant spray bottle	7 cylinders	340 py6./pcs	The Republic of Kazakhstan
			1, 3, 5, 10 litres	12 cylinders	330 py6./l	
			170 ml aerosol can	15 cylinders	129 py6./pcs	
			500 ml non-propellant spray bottle	15 cylinders	220 py6./pcs	
27	Dermatol	Treatment and prophylaxis of psoroptosis, demodecosis, scabies, to combat lice, fleas, ixodid mites and flies. Composition: 1 ml contains 1.6 mg of cypermethrin, 5 mg of neopinamine, 1.6 mg of piperonyl butoxide, excipient.	1 l non-propellant spray bottle	7 cylinders	450 py6./pcs	The Republic of Kazakhstan
			1, 3, 5, 10 litres	12 cylinders	410 py6./l	
			100 ml aerosol can	15 cylinders	87 py6./pcs	
			100 ml spray bottle	15 spray vials	70 py6./vial	
			170 ml aerosol can	15 cylinders	117 py6./pcs	
28	Dichlorvos - Neo	Insectoacaricide drug. Composition: 1 ml contains cypermethrin-2 mg, permethrin-2 mg, tetramethrin-2 mg, piperonyl butoxide-10 mg, diethyltoluamide-100 mg and excipients.	1 l non-propellant spray bottle	7 cylinders	340 py6./pcs	does not require registration
			1, 3, 5, 10 litres	12 cylinders	330 py6./l	
			170 ml aerosol can	15 cylinders	129 py6./pcs	
			500 ml non-propellant spray bottle	15 cylinders	220 py6./pcs	
29	Insectan	Insectoacaricide drug. Composition: 1 ml contains 1.5 mg of cypermethrin, 1.5 mg of diazinon and excipient.	1 l non-propellant spray bottle	7 cylinders	270 py6./pcs	does not require registration / The Republic of Kazakhstan
			1, 3, 5, 10 litres	12 cylinders	260 py6./l	
			100 ml aerosol can	15 cylinders	85 py6./pcs	
			100 ml spray bottle	15 spray vials	65 py6./vial	
			170 ml aerosol can	15 cylinders	120 py6./pcs	
30	Perol	Insectoacaricidal drug for treating animals and surfaces of equipment, for the destruction of ectoparasites, cockroaches and flying insects. Composition: in 1 ml contains 9 mg of permethrin and excipient.	1 l non-propellant spray bottle	7 cylinders	260 py6./pcs	The Republic of Kazakhstan
			1, 3, 5, 10 litres	12 cylinders	255 py6./l	
			100 ml spray bottle	15 cylinders	65 py6./vial	
			170 ml aerosol can	15 cylinders	105 py6./pcs	
			500 ml non-propellant spray bottle	15 cylinders	161 py6./pcs	
31	Cydem	Insectoacaricide drug. Composition: 1 ml contains 2 mg of cypermethrin and excipient.	1 l non-propellant spray bottle	12 cans	235 py6./l	The Republic of Kazakhstan
			1, 3, 5, 10 litres	12 cylinders	220,5 py6./l	
			100 ml spray bottle	15 spray vials	62 py6./vial	
			170 ml aerosol can	15 cylinders	109 py6./pcs	
			500 ml non-propellant spray bottle	15 cylinders	150 py6./pcs	
32	Cyperol	Insectoacaricide drug. Composition: in 1 ml contains permethrin - 2 mg, cypermethrin - 2 mg and excipient.	1 l non-propellant spray bottle	7 cylinders	258,2 py6./pcs	does not require registration / The Republic of Kazakhstan
			1, 3, 5, 10 litres	12 cylinders	245 py6./l	
			100 ml spray bottle	20 spray vials	63 py6./vial	
			170 ml aerosol can	12 cylinders	105 py6./pcs	
			500 ml non-propellant spray bottle	15 cylinders	155 py6./pcs	
33	Cypek 10%	Concentrate of emulsion. Applied against lice, flies, gnats, ixodids and scabies mites, chicken puffers and other ectoparasites of animals. Composition: 1 ml contains 100 mg of cypermethrin and excipients.	1, 3, 5, 10 litres	12 cylinders	590 py6./l	The Republic of Kazakhstan
34	Cypek 25%	Concentrate of emulsion. Applied against lice, flies, gnats, ixodids and scabies mites, chicken puffers and other ectoparasites of animals. Composition: 1 ml contains 250 mg of cypermethrin and excipients.	100 ml	20 vials	80 py6./vial	The Republic of Kazakhstan
			500 ml	12 vials	350 py6./pcs	
			500 ml	12 vials	530 py6./pcs	
35	Cyfluzol 1% solution	Insectoacaricide drug. Composition: 1 ml contains 10 mg of cyfluthrin.	10 ml bottle dropper	450 vials	50 py6./vial	The Republic of Kazakhstan
			100 ml	20 vials	180 py6./vial	
			500 ml	12 vials	750 py6./pcs	
36	Cyfluzol 5% solution	Insectoacaricide drug. Composition: 1 ml contains 50 mg of cyfluthrin.	1 liter	12 cans	1 800 py6./pcs	does not require registration
			100 ml	20 vials	220 py6./vial	
			5 litres	15 vials	7 500 py6./pcs	

COMMON RESTORATIVE AND TONIC DRUGS

IMMUNOSTIMULATORS

37	Immunolek / injection, drug without antibiotics /	Applied with therapeutic purpose to cows, patients with subclinical mastitis, calves and pigs for the prevention and treatment of pneumoenteritis. Stimulates nonspecific resistance of the organism, activates the phagocytic activity of cells of the neutrophilic-macrophage series and bactericidal activity of the blood. Composition: 1 ml contains 1 mg of triterpene glycosides.	100 ml	40 vials	260 py6./vial	The Republic of Kazakhstan
			200 ml	30 vials	500 py6./pcs	
			50 ml	72 vialoha	150 py6./vial	
			500 ml	15 vials	1 100 py6./vial	

RESTORATIVE AND TONIC DRUGS

38	Atimpanol / oral solution /	Preservative remedy Composition: 100 ml contains lactic acid-4.0 g, polyvinyl alcohol-3.2 g, aerosil (pyrogen dioxide)-0.24 g, formalin-0.5 g, chesterite-4.0 g and auxiliary matter	200 ml	35 vials	44 py6./vial	The Republic of Kazakhstan
39	Butafarm / injection for solution /	It is used for the prevention and treatment of animals and poultry, when it is necessary to normalize the metabolism, increase the overall resistance, productivity, accelerate growth and development. Composition: in 1 ml contains 100 mg butophosphane, 0.05 mg cyanocobalamin and excipient.	10 ml	50 vials	30 py6./vial	The Republic of Kazakhstan
			100 ml	10 vials	250 py6./vial	
			50 ml	6 vials	140 py6./vial	
40	Vitamin B12 / solution for injection /	They are used for the prevention of vitamin B12 deficiency and the treatment of related diseases, stimulation of growth and development of animals. Composition: 1 ml contains 500 μ g of vitamin B12.	10 ml	50 vials	20 py6./vial	The Republic of Kazakhstan
			100 ml	35 vials	85 py6./vial	
41	Vitamin C /solution for injection/	Applied with vitamin C vitamin hypovitaminosis, to treat related diseases, improve growth and development of young animals. Composition: 1 ml contains 50 mg of ascorbic acid.	10 ml	50 vials	20 py6./vial	The Republic of Kazakhstan
			100 ml	35 vials	35 py6./vial	

42	Glucodiox / solution for injection / analog "Kalfoset"	Applied for the treatment of farm animals in tetany, paresis, poisoning, toxicosis, calcium, phosphorus and magnesium exchange disorders, increase in growth and weight gain in young animals. Composition: in 1 ml contains calcium gluconate - 328.2 mg, calcium glycerophosphate - 81.3 mg, magnesium chloride - 41.8 mg and excipients.	100 ml	35 vials	157 pyб./vial	The Republic of Kazakhstan
			200 ml	30 vials	290 pyб./vial	
43	Glucose 40% / solution for injection /	Prevention and treatment of postpartum paresis, spasmophilia, shock, rickets, post-detainment, prenatal and post-natal deposits, allergic diseases. Compositon: 1 ml contains 400 mg of dextrose (glucose).	100 ml	35 vials	18 pyб./vial	Russia
			200 ml	30 vials	36 pyб./vial	
			400 ml	15 vials	54 pyб./vial	
			50 ml	48 vials	16 pyб./vial	
44	Glucose 5% / solution for injection /	Prevention and treatment of postpartum paresis, spasmophilia, shock, rickets, post-detainment, prenatal and post-natal deposits, allergic diseases. Composition: 1 ml contains 50 mg of dextrose (glucose).	100 ml	35 vials	14,7 pyб./vial	Russia
			200 ml	30 vials	25 pyб./vial	
			400 ml	15 vials	36 pyб./vial	
			50 ml	48 vials	14,5 pyб./vial	
45	Glucet / injection for solution /	General restorative and tonic for blood loss and dehydration of the body in animals, with dyspepsia and bronchopneumonia of young animals, with infections and intoxications, as an antipyretic and expectorant. Composition: 1 ml contains 1 mg of camphor, 200 mg of glucose, 150 mg of ethyl alcohol, 5 mg of ascorbic acid.	100 ml	35 vials	28 pyб./vial	The Republic of Kazakhstan
46	Glucatin / injection for solution /	General restorative and tonic for blood loss and dehydration of the body in animals, with dyspepsia and bronchopneumonia of young animals, with infections and intoxications, as an antipyretic and expectorant. Compositon: 100 ml contains 20 g of glucose, 15 ml of ethyl alcohol, water.	100 ml	35 vials	25 pyб./vial	Russia
47	Calcium borogluconate / solution for injection /	Prevention and treatment of postpartum paresis, spasmophilia, shock, rickets, post-detainment, prenatal and post-natal deposits, allergic diseases. Compositon: 100 ml contains 20.0 grams of calcium gluconate, 1.85 g of boric acid, 1.3 g of sodium tetraborate.	100 ml	35 vials	26 pyб./vial	Russia
			200 ml	30 vials	52 pyб./vial	
			400 ml	15 vials	88 pyб./vial	
			50 ml	48 vials	18 pyб./vial	
48	Calcium Chloride 10% / solution for injection /	In the animal organism, it activates the reticuloendothelial system and the phagocytic function of leukocytes, increases the tone of sympathetic innervation, increases the release of adrenaline, accelerates the production of many enzymes. Compositon: 100 ml contains 10 g of calcium chloride.	10 ml	50 vials	10 pyб./pcs	Russia
			100 ml	35 vials	17 pyб./vial	
			200 ml	30 vials	26,5 pyб./vial	
			400 ml	15 vials	44,5 pyб./vial	
			50 ml	48 vials	14,5 pyб./vial	
49	Caffeine sodium benzoate 20% / solution for injection /	To stimulate cardiac activity. Composition: in 100 ml contains 20 grams of caffeine sodium benzoate.	10 ml	50 vials	15 pyб./vial	The Republic of Kazakhstan
			100 ml	35 vials	65 pyб./vial	
			50 ml	48 vials	38 pyб./vial	
50	Magnesium plus (oral solution)	The drug is indicated with a deficiency of magnesium in the diet and related conditions. Promotes increased weight gain in young animals, increases milk production and milk quality in lactating animals. Composition: 1 ml contains 400 mg of magnesium chloride hexahydrate.	1 liter	12 cans	85 pyб./pcs	The Republic of Kazakhstan
51	Tincture of cheating	Applied in the treatment of atony and hypotension of the prednagus, tympanii rumen ruminants and as an emetic for pigs and dogs. Composition: in 100 ml contains 0.09% -0.11% of protolaverin alkaloids and excipient.	100 ml	35 vials	45 pyб./vial	Republic of Belarus
			50 ml	48 vials	14 pyб./vial	
52	Sodium chloride 0,9% / isotonic solution for injection /	Prevention and treatment of postpartum paresis, spasmophilia, shock, rickets, post-detainment, prenatal and post-natal deposits, allergic diseases. Composition: in 100 ml contains 0.9 grams of sodium chloride.	10 ml	50 vials	12 pyб./vial	Russia
			100 ml	35 vials	17,5 pyб./vial	
			200 ml	30 vials	23,5 pyб./vial	
			400 ml	15 vials	34 pyб./vial	
			50 ml	48 vials	14 pyб./vial	
53	Novocain 0.5% / solution for injection /	Local and infiltration anesthesia, staging of blockades in surgical practice. Composition: in 100 ml contains 0.5 g of novocaine (procaine hydrochloride).	10 ml	50 vials	12 pyб./vial	Russia
			100 ml	35 vials	16 pyб./vial	
			200 ml	30 vials	24 pyб./vial	
			50 ml	48 vials	15 pyб./vial	
			10 ml	50 vials	12 pyб./vial	
54	Novocain 2% / solution for injection /	Local and infiltration anesthesia, staging of blockades in surgical practice. Composition: in 100 ml contains 2.0 g of novocaine (procaine hydrochloride).	100 ml	35 vials	19,2 pyб./vial	Russia
			200 ml	30 vials	31 pyб./vial	
			50 ml	48 vials	16 pyб./vial	
			10 ml	50 vials	12 pyб./vial	
			50 ml	48 vials	16 pyб./vial	
55	Rehydrate Kit 3 packs / for oral administration /	Assign newborn calves for prevention and early treatment of acute gastrointestinal diseases of non-infectious etiology. Compositon: 1 pack contains 50 grams of sodium chloride, 5 g of ascorbic acid, 200 g of glucose, 200 g of polyvinylpyrrolidone, 30 g of aminoacetic acid.	497 g	1 packovka	395 pyб./pcs	The Republic of Kazakhstan
56	Ringer-Locke / solution for injection /	Prevention and treatment of postpartum paresis, spasmophilia, shock, rickets, post-detainment, prenatal and post-natal deposits, allergic diseases. Composition: in 100 ml as active substances contains 0.8 g of sodium chloride, 0.02 g of potassium chloride, 0.02 g of calcium chloride, 0.02 g of sodium bicarbonate, 0.1 g of glucose.	100 ml	35 vials	16,1 pyб./vial	Russia
			200 ml	30 vials	23 pyб./vial	
			400 ml	15 vials	34 pyб./vial	
57	Tablets "Kayod"	Treatment and prevention of iodine deficiency. Composition: in 1 table. contains 0.006 g of potassium iodide.	1 pot 830 tablets	12 pots	145 pyб./pcs	Republic of Belarus
			1 can 1665 tablets	12 buckets	265 pyб./pcs	
			1 can 3330 tablets	6 buckets	515 pyб./pcs	
58	Tablets 0.9 g of cobalt chloride	Филака и лечение гипокобальтоза. Состав: в 1 табл. содержится 0.04 гр кобальта хлорида, 0.96 гр натрия хлорида. Prophylaxis and treatment of hypokobalthosis. Composition: in 1 table. contains 0.04 grams of cobalt chloride, 0.96 grams of sodium chloride.	1 kg	15 packages	480 pyб./pcs	The Republic of Kazakhstan
59	Tetravit / solution for injection and oral administration /	The drug is indicated for the prevention and treatment of hypovitaminosis, reducing the negative impact of stress on the animal organism, normalizes the reproductive function. Composition: 1 ml contains 50,000 IU of vitamin A, 25,000 IU of vitamin D, 20 mg of vitamin E, 5 mg of vitamin F, a filler.	100 ml	10 vials	132 pyб./vial	The Republic of Kazakhstan
			50 ml	48 vials	92 pyб./vial	
60	Trivitam injection / solution for injection /	Multivitamin preparation for the prevention and treatment of hypovitaminosis A, D, E in agricultural animals, including poultry. Compositon: 1 ml contains vitamins: A-30,000 IU, D3- 40,000 IU, E-20 mg.	10 ml	50 vials	28 pyб./vial	The Republic of Kazakhstan
			100 ml	35 vials	142 pyб./vial	
			50 ml	48 vials	97,5 pyб./vial	
61	Trivitam oral / solution for oral administration /	Multivitamin preparation for the prevention and treatment of hypovitaminosis A, D, E in agricultural animals, including poultry. Compositon: 1 ml contains vitamins: A-30,000 IU, D3- 40,000 IU, E-20 mg.	1 liter	12 cans	1 100 pyб./pcs	The Republic of Kazakhstan
			100 ml	35 vials	142 pyб./vial	
			450 ml	15 vials	510 pyб./vial	

ANTIBACTERIAL AND ANTI-INFLAMMATORY DRUGS

DRUGS FOR THE TREATMENT AND PREVENTION OF SKIN DISEASES, HOOVES AND WOUND TREATMENT

62	Alimospray / drug without antibiotics /	Treatment of wounds in animals. Compositon: 100 ml contains 9.6 grams of aluminum powder and a film-forming filler.	100 ml aerosol can	15 cylinders	155 pyб./pcs	Russia
			100 ml spray bottle	15 spray vials	100 pyб./vial	
			170 ml aerosol can	15 cylinders	210 pyб./pcs	
			350 ml aerosol can	15 cylinders	250 pyб./pcs	
63	Asepur	Applied for disinfection of the skin, the hands of the surgeon, the operating field and the treatment of wounds of various origins. Composition: in 1 ml contains 4.4 mg of salicylic acid, 11.6 mg of catamine AB, excipient.	1 l non-propellant spray bottle	7 cylinders	225 pyб./pcs	The Republic of Kazakhstan
			1, 3, 5, 10 liters	12 cylinders	200 pyб./l	
			100 ml aerosol can	15 cylinders	110 pyб./pcs	
			100 ml spray bottle	15 spray vials	60 pyб./vial	
64	Betulon / analog "KubatoI", drug without antibiotics /	Film-forming antiseptic preparation for the treatment of skin diseases (abrasions, dermatitis, eczema, slowly healing wounds), claws (surfaces of panaritiums, etc.) and hooves (suppuration of horny arrows, etc.) in animals. Composition: 1 ml contains 130 mg of birch tar and a film-forming filler.	100 ml aerosol can	12 cylinders	87 pyб./pcs	The Republic of Kazakhstan
			170 ml aerosol can	12 cylinders	125 pyб./pcs	
65	Biosol / drug without antibiotics /	Antiseptic for external use. Composition: 1 ml contains chlorhexidine bigluconate - 3 mg, brilliant green - 0.6 mg and excipients.	100 ml aerosol can	12 cylinders	95 pyб./pcs	The Republic of Kazakhstan
			100 ml spray bottle	15 spray vials	80 pyб./vial	
			350 ml aerosol can	12 cylinders	220 pyб./pcs	
			100 ml aerosol can	15 cylinders	175 pyб./pcs	
66	Biosanite / aerosol preparation /	Treatment of eczema, dermatitis of hoof diseases, ulcers and abscesses. Compositon: 1 ml contains birch tar-125 mg, florfenicol -43 mg and excipients.	170 ml aerosol can	15 cylinders	230 pyб./pcs	Республика Armenia
			350 ml aerosol can	15 cylinders	310 pyб./pcs	
			100 ml aerosol can	12 cylinders	95 pyб./pcs	
67	Wolphazole / drug without antibiotics /	All kinds of animals. For prophylaxis and treatment of wolfarthosis, with trauma to the skin after shearing, castration, tail amputation and accidental skin trauma in the summer. Composition: 1 ml contains chlorophos-38 mg, ethyl acetate-203 mg, erythromycin-2.5 mg, birch-tar-8.6 mg and auxiliary substances.	1 l non-propellant spray bottle	7 cylinders	480 pyб./pcs	The Republic of Kazakhstan
			100 ml aerosol can	15 cylinders	102 pyб./pcs	
			170 ml aerosol can	15 cylinders	140 pyб./pcs	
			500 ml non-propellant spray bottle	15 cylinders	270 pyб./pcs	

68	Iodogel / drug without antibiotics /	Antiseptic gel with a wide spectrum of bactericidal, antifungal, antiviral and antiprotozoal action for the treatment of lesions of the skin and mucous membranes. Does not cause tissue irritation and accelerates their recovery. Composition: 1 ml contains 13 mg of potassium iodide, 1 mg of bismuth toul, 1 mg of prednisolone.	1 liter 10 ml syringe 100 ml 250 ml 100 g 150 g tube 200 g 500 g	10 cans 160 syringea 2 syringea 30 vials 60 pots 35 tube 24 pots 12 pots	1 150 py6./vial 32 py6./pcs 240 py6./vial 425 py6./vial 45 py6./pcs 75 py6./pcs 80 py6./pcs 173,4 py6./6ah	The Republic of Kazakhstan
69	Cream for milking "Krasavka" with vinilin and plantain (Shostakovskiy's Balm)	Treatment and prevention of dryness, cracks, abrasions, skin erosions of the udder nipples, peptic ulcer processes of the skin, mucous membranes, carbuncles, furuncles, wounds of various origins, as well as for the treatment of mastitis in cows. Composition: 1 g contains Vinilin (Shostakovskiy's balm) -100 mg, plantain tincture-0,48 ml and fillers.				The Republic of Kazakhstan
70	Cream for milking "Krasavka" with plantain / drug without antibiotics /	Treatment and prevention of dryness, cracks, abrasions, skin erosions of the udder nipples, peptic ulcer processes of the skin, mucous membranes, carbuncles, furuncles, wounds of various origins, as well as for the treatment of mastitis in cows. Composition: 1 g contains plantain tincture - 470 mg and fillers.	100 g	60 pots	40 py6./pcs	The Republic of Kazakhstan
71	Cream for milking "Krasavka" with vinilin and plantain (Shostakovskiy's Balm)	Treatment and prevention of dryness, cracks, abrasions, skin erosions of the udder nipples, peptic ulcer processes of the skin, mucous membranes, carbuncles, furuncles, wounds of various origins, as well as for the treatment of mastitis in cows. Composition: 1 g contains plantain tincture - 470 mg and fillers.	200 g	24 pots	53 py6./pcs	The Republic of Kazakhstan
72	Cream for milking "Krasavka" with plantain / drug without antibiotics /	Treatment and prevention of dryness, cracks, abrasions, skin erosions of the udder nipples, peptic ulcer processes of the skin, mucous membranes, carbuncles, furuncles, wounds of various origins, as well as for the treatment of mastitis in cows. Composition: 1 g contains plantain tincture - 470 mg and fillers.	500 g	12 pots	119,8 py6./pcs	The Republic of Kazakhstan
73	Levovinisol	Treatment of furunculosis, carbuncles, trophic ulcers, purulent wounds, soft tissue injuries, burns, frostbites in animals. Composition: 1 ml contains 1.43 mg of florfenicol, 193 mg of Vinilin (Shostakovskiy's balm), a solvent.	100 ml aerosol can 100 ml spray bottle	12 cylinders 20 spray vials	133 py6./pcs 94 py6./vial	The Republic of Kazakhstan
74	Liniment of synthomycin BHF 10%	Treatment of infected wounds. Composition: 1 gram contains 10 mg of synthomycin and an ointment base.	100 g 200 g 500 g	60 pots 24 pots 12 pots	110 py6./6ah 200 py6./pcs 490 py6./pcs	The Republic of Kazakhstan
75	Ointment Akamaksan	Treatment of trichophytosis, microsporia, eczema, dermatitis and other skin diseases in animals. Composition: 1 g contains sulfur-100 mg, zinc oxide-100 mg and auxiliary substances.	100 g 100 ml aerosol can 100 ml spray bottle 170 ml aerosol can 200 g 500 g	60 pots 15 cylinders 15 spray vials 15 cylinders 24 pots 12 pots	49 py6./pcs 95 py6./pcs 120 py6./vial 160 py6./pcs 81 py6./pcs 198 py6./pcs	The Republic of Kazakhstan
76	Ointment Vishnevskogo BHF	Treatment of infected wounds. Composition: 1 gram contains 30 mg of birch tar, 30 mg of xerobe and filler.	100 g 200 g 500 g	60 pots 24 pots 12 pots	49 py6./pcs 125 py6./pcs 250 py6./pcs	The Republic of Kazakhstan
77	Ointment ichthyol 10%	Treatment of wounds, burns, eczema and dermatitis. Composition: 100 gr contains 10 g of ichthyol and an ointment base.	200 g 400 g	24 pots 12 pots	70 py6./pcs 133 py6./pcs	Russia
78	Ointment ichthyol 20%	Treatment of wounds, burns, eczema and dermatitis. Composition: 100 gr contains 20 g of ichthyol and an ointment base.	200 g 400 g	24 pots 12 pots	112 py6./pcs 205 py6./pcs	Russia
79	Ointment Iodine	Treatment of wounds, burns, eczema and dermatitis. Composition: 100 gr contains 2 g of iodine, 4 g potassium iodide.	100 g 200 g 500 g	60 pots 24 pots 12 pots	53 py6./pcs 88,5 py6./pcs 207 py6./pcs	The Republic of Kazakhstan
80	Camphor ointment 10%	Treatment of mastitis, myositis, neuralgia, etc. Composition: 100 gr contains 10 g camphor and an ointment base.	100 g 200 g 500 g	60 pots 24 pots 12 pots	59,5 py6./pcs 101,5 py6./pcs 235,5 py6./pcs	The Republic of Kazakhstan
81	Ointment mastisept-A	Antiseptic, anti-inflammatory, analgesic and emollient for external use in mastitis, phlegmon, inflammatory diseases and bruises of muscles, ligaments and joints, neuralgia and rheumatic diseases. Composition: 1 gram contains 50 mg of camphor, 50 mg of turpentine, 20 mg of menthol, 20 mg of methyl salicylate, 1 mg of novocaine, 1 mg of prednisolone, 1 mg of thymol, and a conductor that provides deep penetration of active substances through the skin, emollient.	1 kg can 10 kg can 100 g 100 ml aerosol can 150 g tube 170 ml aerosol can 200 g 25 kg can 500 g	12 buckets ----/---- 60 pots 15 cylinders 35 tube 15 cylinders 24 pots ----/---- 12 pots	690 py6./pcs 6 500 py6./pcs 87 py6./pcs 135 py6./pcs 185 py6./pcs 175 py6./pcs 166,5 py6./pcs 16 720 py6./pcs 370 py6./pcs	The Republic of Kazakhstan
82	Ointment Pichtovet/ drug without antibiotics /	Treatment of wounds, burns, traumatic injuries of tissues, eczema, dermatitis, bursitis, bruises, mastitis, papillomas and ulcers on the nipples of the udder. Composition: 1 gram contains 200 mg of pine resin.	100 g 200 g 500 g	60 pots 24 pots 12 pots	42 py6./pcs 86 py6./pcs 160 py6./pcs	The Republic of Kazakhstan
83	Ointment Piktovin / drug without antibiotics /	Treatment of wounds, burns, traumatic injuries of tissues, eczema, dermatitis, bursitis, bruises, mastitis, papillomas and ulcers on the nipples of the udder. Composition: 1 gram contains 200 mg of vinilin (Shostakovskiy balsam), 200 mg of pine resin.	100 g 100 ml aerosol can 170 ml aerosol can 200 g 500 g	60 pots 15 cylinders 15 cylinders 24 pots 12 pots	70 py6./pcs 135,5 py6./pcs 165 py6./pcs 138 py6./pcs 299 py6./pcs	The Republic of Kazakhstan
84	Ointment of sulfur-zinc	Treatment of wet wounds, ulcers, purulent eczema, decubitus, fungal diseases, scabies, etc. Composition: 1 gram contains 50 mg of zinc oxide and 50 mg of purified sulfur.	100 g 200 g 500 g	60 pots 24 pots 12 pots	38 py6./pcs 66 py6./pcs 125 py6./pcs	The Republic of Kazakhstan
85	Ointment zinc	Treatment and prevention of skin diseases, treatment of wounds, cracks, incl. nipples of the udder. Composition: 1 gram contains 100 mg of zinc oxide and a filler.	100 g 200 g 500 g	60 pots 24 pots 12 pots	38 py6./pcs 66 py6./pcs 122,5 py6./pcs	The Republic of Kazakhstan
86	Powder "Endosept-K"	It is used as a local antiseptic for treating wounds. It has a long antimicrobial, astringent and drying effect. Composition: 1 g contains 500 mg of streptocid, 100 mg of xerogen and excipient.	1 pot - 100 g 1 pot - 150 g 1 pot - 50 g	35 pots 24 pots 60 pots	220 py6./pcs 335 py6./pcs 120 py6./pcs	The Republic of Kazakhstan
87	Powder "Endosept"	It is used as a local antiseptic for treating wounds. Has a long antibacterial action against aerobic and anaerobic microflora, has a local repellent effect. Composition: 1 g contains 500 mg of streptocid, 100 mg of iodoform and excipient.	1 pot - 100 g 1 pot - 150 g 1 pot - 50 g	35 pots 24 pots 60 pots	230 py6./pcs 340 py6./pcs 125 py6./pcs	The Republic of Kazakhstan
88	Powder spray / drug without antibiotics /	With lesions with exudation, itching, fungal diseases, various eczema, dermatitis, necrotic processes, skin, ear, tail, castration wounds, hoof inflammation, nipple cracking. Composition: in 1 gram 77 mg of zinc oxide, 2 mg of chlorhexidine, talc.	170 ml aerosol can	15 cylinders	180 py6./pcs	The Republic of Kazakhstan
89	Ranosept (analogue of Chemi Spray "INVESA")	It has antiseptic, wound-healing, antimicrobial and anti-inflammatory properties. Composition: in 1 ml contains 17 mg of chlorotetracycline hydrochloride, 4 mg of gentianviolet and auxiliary substances.	100 ml aerosol can 170 ml aerosol can	12 cylinders 12 cylinders	169,9 py6./pcs 194,9 py6./pcs	The Republic of Kazakhstan
90	Iodine solution 5%	Antimicrobial agent. Composition: in 100 ml contains 5 g of iodine and auxiliary substances.	10 ml 100 ml 50 ml	50 vials 35 vials 48 vials	14,9 py6./vial 65 py6./vial 44 py6./vial	Russia
91	Sangel (analogous to "Hof-Gel") / drug without antibiotics /	Sanitary and hygienic means for the care of hooves of animals. Composition: 1 gram contains 32.7 mg of zinc, 33.3 mg of copper in the form of chelated compounds, formic acid, lactic acid, acetic acid, eucalyptus oil.	300 g 600 g	24 pots 12 pots	400 py6./pcs 600 py6./pcs	The Republic of Kazakhstan
92	Tetrazole	Treatment of skin diseases in animals. Composition: 1 ml contains 10 mg oxytetracycline hydrochloride and excipient.	100 ml aerosol can 100 ml spray bottle 170 ml aerosol can	15 cylinders 15 spray vials 15 cylinders	145 py6./pcs 115 py6./vial 190 py6./pcs	The Republic of Kazakhstan

ANTIBACTERIAL AND ANTI-INFLAMMATORY DRUGS

93	Azithroperom / injection solution /	Treatment of bacterial infections in cattle, horses, camels, pigs and dogs. Composition: 1 ml contains 100 mg of azithromycin (in the form of dihydrate) and auxiliary components: 100 mg of propylene glycol, 6 mg of sodium citrate, 10 mg of benzyl alcohol, 0.6 mg of citric acid, up to 1 ml of water for injection.	10 ml 100 ml 50 ml	10 vials 40 vials 10 vials	290 py6./pcs 870 py6./pcs 510 py6./pcs	The Republic of Kazakhstan
94	Aklatsin / suspension for injection /	They are used for cattle, pigs, dogs and cats for respiratory diseases of bacterial etiology, postpartum infections, metritis, mastitis, skin and soft tissue infection. Composition: 1 ml contains 140 mg of amoxicillin trihydrate, 35 mg of clavulanic acid, excipient.	10 ml 100 ml 50 ml	50 vials 40 vials 6 vials	70 py6./vial 380 py6./pcs 210 py6./pcs	The Republic of Kazakhstan
95	Amogem /suspension for injection/	For the treatment of cattle, pigs, dogs and cats in diseases of bacterial etiology. Composition: 1 ml contains 170 mg of amoxicillin trihydrate, 40 mg of gentamicin sulfate.	10 ml 100 ml 50 ml	50 vials 40 vials 6 vials	70 py6./pcs 470 py6./vial 303,72 py6./vial	The Republic of Kazakhstan
96	Amoxicillin 15% / suspension for injection /	To treat purulent mastitis of bacterial etiology and induce udder in lactating animals. Composition: in 1 ml contains 150 mg of amoxicillin trihydrate, 1 mg of prednisolone and prolonging base.	100 ml 200 ml 50 ml	40 vials 30 vials 6 vials	210 py6./vial 550 py6./vial 160 py6./vial	The Republic of Kazakhstan
97	Benzylpenicillin sodium salt / powder for injection /	Treatment of bacterial infections. Composition: 1 bottle contains 1000000 units of benzylpenicillin sodium salt.	1 vialoh - 0,6 g	50 vials	12,5 py6./vial	The Republic of Kazakhstan
98	Bioks 100 / oxytetracycline 10% Injection /	Treatment of trichomoniasis of cattle, balantidiosis and dysentery of pigs, gistomonosis of geese and turkeys. Composition: 1 ml contains 100 mg of oxytetracycline hydrochloride in the form of a magnesium complex, novocaine, ascorbic acid.	10 ml 100 ml 50 ml	50 vials 40 vials 6 vials	27 py6./vial 129,9 py6./vial 79,9 py6./vial	The Republic of Kazakhstan

99	Bioks 200 / Oxytetracycline 20% Injection /	treatment of trichomoniasis of cattle, balantidiosis and dysentery of pigs, gistomonosis of geese and turkeys. Composition: 1 ml contains 200 mg of oxytetracycline hydrochloride in the form of a magnesium complex, novocaine, ascorbic acid.	10 ml 100 ml 50 ml	50 vials 40 vials 6 vials	29 py6./vial 170 py6./vial 92 py6./vial	The Republic of Kazakhstan
100	Bioks-Forte / Solution for Injection /	Treatment of trichomoniasis of cattle, balantidiosis and dysentery of pigs, gistomonosis of geese and turkeys. Composition: 1 ml contains 300 mg of oxytetracycline hydrochloride in the form of a magnesium complex, dexamethasone - 0.5 mg.	10 ml 100 ml 50 ml	50 vials 40 vials 6 vials	85 py6./vial 435 py6./vial 230 py6./l	The Republic of Kazakhstan
101	Bronchopneumosol / aerosolized drug /	For prevention and treatment of nonspecific bronchopneumonia of young animals. Composition: 1 ml contains 30 mg of sulfadimethoxin, 40 mg of tylosin tartrate, 4 mg of ethonium, a solvent.	1, 3, 5, 10 liters 100 ml aerosol can 170 ml aerosol can 350 ml aerosol can	12 cylinders 12 cylinders 12 cylinders 15 cylinders	674,9 py6./l 110 py6./pcs 139,9 py6./pcs 199,9 py6./pcs	The Republic of Kazakhstan
102	Vetalgin / solution for injection /	It shows a pronounced analgesic, anti-inflammatory, antiviral, antirheumatic, antispasmodic and soothing effect. Composition: 1 ml contains 500 mg of analgin (methamizole sodium).	10 ml 100 ml 50 ml	50 vials 40 vials 6 vials	150 py6./vial 280 py6./vial 150 py6./vial	The Republic of Kazakhstan
103	Virulon Plus / solution for injection /	Applied for the treatment of young animals in infectious diseases of mixed viral-bacterial etiology. Composition: 1 ml contains 55 mg of enrofloxacin, 25 mg of ribavirin, 10 mg of trimethoprim.	10 ml 100 ml 50 ml	50 vials 40 vials 6 vials	50 py6./vial 450 py6./vial 220 py6./vial	The Republic of Kazakhstan
104	Gentamicin Sulfate 4% / solution for injection /	Treatment of respiratory and gastrointestinal diseases, peritonitis, meningitis, sepsis, etc. Composition: 1 ml contains 40 mg of gentamicin sulfate	10 ml 100 ml 50 ml	50 vials 35 vials 48 vials	19 py6./vial 92 py6./vial 59,5 py6./vial	Russia
105	Gentaflax BHF / solution for injection /	For the treatment of cattle, pigs, dogs and cats in diseases of bacterial etiology. Composition: 1 ml contains 80 mg of enrofloxacin, 40 mg of gentamicin sulfate.	10 ml 100 ml 50 ml	50 vials 40 vials 6 vials	50 py6./vial 350 py6./vial 190 py6./vial	The Republic of Kazakhstan
106	Iodinol / topical solution /	Treatment of gastrointestinal diseases, enterocolitis, gastroenteritis, dyspepsia, infected skin wounds, pyoderma. Also used for washing the nose, pharynx, with vaginitis, cervicitis, endometritis, etc. Composition: in 1 liter contains 1 g of iodine, 3 g of potassium iodide, 9 g of polyvinyl alcohol.	1 liter 10 liters 100 ml 20 liters 200 ml 400 ml	12 cans 1 cansa 35 vials 1 cansa 30 vials 15 vials	68 py6./pcs 680 py6./pcs 20,5 py6./vial 1 360 py6./pcs 32 py6./vial 63,5 py6./vial	The Republic of Kazakhstan
107	Kanamycin 10%	Applied with purulent-septic diseases, infectious diseases of the respiratory system, infection of the kidneys and urinary tract and other diseases. Composition: 1 ml of the drug contains 100 mg of kanamycin sulfate, excipients and a solvent (water for injection) up to 1 ml.	10 ml	50 vials	25 py6./vial	The Republic of Kazakhstan
108	Lincomycin / Solution for Injection /	For the treatment of dysentery and erysipelas of pigs, enzootic pneumonia, actinomycosis, septicemia, infectious polyarthritis, abscesses, otitis, purulent dermatitis, respiratory diseases and other diseases. Composition: 1 ml contains 100 mg of lincomycin and excipients, a solvent (water for injection) up to 1 ml.	10 ml 100 ml 50 ml	50 vials 35 vials 40 vials	29 py6./vial 150 py6./vial 93 py6./pcs	The Republic of Kazakhstan
109	Lincopectin/ solution for injection /	For the treatment of bacterial and mycoplasma pneumonia, dysentery, bacterial enteritis, arthritic infections and secondary bacterial infections - in pigs, aerococci, cholera, staphylococcosis, sinusitis and rhinitis - in poultry, pneumoenteritis - in calves, respiratory infections and hoof rot - in sheep and goats, respiratory tract infections, the urinary canal and secondary bacterial infections - in dogs and cats. Composition: 1 ml contains 50 mg of lincomycin, 100 mg of spectinomycin.	10 ml 100 ml 50 ml	50 vials 40 vials 6 vials	60 py6./vial 358 py6./vial 202 py6./vial	The Republic of Kazakhstan
110	Meglujet / injectable solution /	Non-steroidal anti-inflammatory drug that increases the effectiveness of antibiotic therapy-shortens the time of recovery and preserves the productive qualities of farm animals. Composition: in 1 ml contains 83 mg of flunixin meglumine.	10 ml 100 ml 50 ml	50 vials 40 vials 6 vials	69,9 py6./vial 329,1 py6./vial 197,9 py6./vial	The Republic of Kazakhstan
111	Menbutol / injection /	It is used to treat cattle, horses, MRS, camels, dogs with diseases of the gastrointestinal tract. Composition: 1 ml contains 100 mg mentbutone.	10 ml 100 ml 50 ml	50 vials 40 vials 6 vials	250 py6./vial 1 800 py6./vial 1 000 py6./vial	The Republic of Kazakhstan
112	Metratil / powder for oral administration /	Treatment of infectious diseases of animals and poultry of bacterial and mycoplasmal etiology. Composition: 100 mg of tylosin tartrate, 100 mg of metronidazole, and 250 mg of florfenicol are contained in 1 gram.	1 kg 100 g 200 g 50 g 500 g	6 pots 35 pots 24 pots 60 pots 12 pots	3 870 py6./pcs 395 py6./pcs 780 py6./pcs 205 py6./pcs 1 935 py6./pcs	The Republic of Kazakhstan
113	Metronidazole BHF	Treatment of trichomoniasis of cattle, balantidiosis and dysentery of pigs, gistomonosis of geese and turkeys, histomonosis of agricultural birds. Composition: each tablet contains 0.5 g of active substance (metronidazole-2-methyl-5-nitromidazole-1-entanol).	1 pot - 250 tab 1 pot - 50 tab 1 pot - 500 tab 1 pot 1000 tablets 1 pot 2000 tablets	18 pots 60 pots 20 pack 10 packages 10 packages	315 py6./pcs 80 py6./pcs 600 py6./pcs 1 155 py6./pcs 2 265 py6./pcs	The Republic of Kazakhstan
114	Metrofulin BHF / Powder for oral administration /	Treatment of infectious diseases of animals and poultry of bacterial and mycoplasmal etiology. Composition: 1 g contains 110 mg of metronidazole, 10 mg of furazolidone, 25 mg of oxytetracycline hydrochloride.	1 kg 50 g 500 g	10 pots 60 pots 20 pots	550 py6./pcs 65 py6./pcs 290 py6./pcs	The Republic of Kazakhstan
115	Mykobaksan	Treatment of bacterial septic, infectious diseases of farm animals, fur animals and rabbits. Composition: 1 ml contains 40 mg of florfenicol, 40 mg of oxytetracycline hydrochloride, 20 mg of sulfadimezine, 10 mg of nystatin and excipients.	1 liter 10 ml 100 ml 100 ml syringe жана 50 ml	12 cans 50 vials 40 vials 2 syringea 6 vials	1 700 py6./pcs 28 py6./vial 175 py6./vial 285 py6./pcs 105 py6./vial	The Republic of Kazakhstan
116	Neodock	Applied for the treatment of infectious diseases of animals and poultry bacterial and mycoplasmal etiology. Composition: 1 gram contains 350 mg of neomycin sulfate, 350 mg of doxycycline and excipient.	1 kg 100 g 200 g 50 g 500 g	10 packages 35 pots 24 pots 60 pots 20 pots	2 028,5 py6./pcs 220 py6./pcs 432,5 py6./pcs 123,5 py6./бан 1 065,3 py6./pcs	The Republic of Kazakhstan
117	Neomycin sulfate / powder /	Treatment of young animals with animals in case of colibacillosis and other diseases of the gastrointestinal tract. Composition: 1 mg contains 650 µg of active substance.	1 φl - 0,5 g of active substance 330 g	50 vials; 600 vials	10 py6./vial 1 150 py6./pcs	The Republic of Kazakhstan
118	Oxytetracycline hydrochloride / powder for injection /	Treatment of trichomoniasis of cattle, balantidiosis and dysentery of pigs, gistomonosis of geese and turkeys. Composition: 1 mg contains at least 860 µg oxytetracycline hydrochloride.	1 φl - 1 g of active substance	50 vials; 600 vials	10,4 py6./vial	Russia
119	Oxifur / powder for oral administration /	Complex antibacterial drug. Composition: 1 kg contains 50 g of oxytetracycline hydrochloride, 20 g of trimethoprim, 100 g of sulfamethoxazole, 40 g of paracetamol, 1.5 g of bromhexine hydrochloride, 20 g of ascorbic acid, 5 million units of vitamin A, and excipient.	1 kg	15 packages	800 py6./pcs	The Republic of Kazakhstan
120	Pneumopharm / injection /	Applied for the treatment and prevention of respiratory diseases of farm animals and poultry, treatment of pig dysentery. Composition: 1 ml contains 300 mg of tilimicosin phosphate.	10 ml 100 ml 200 ml 50 ml	50 vials 40 vials 30 vials 6 vials	61 py6./vial 500 py6./vial 950 py6./vial 290 py6./vial	The Republic of Kazakhstan
121	Ridotrim / powder for oral administration /	Treatment of infectious diseases of animals and poultry of bacterial and mycoplasmal etiology. Composition: 100 gr contains 10 g of sulfadimethoxin, 3 g of rifampicin, 2 g of trimethoprim, 12,5 g of doxycycline.	1 kg 100 g 200 g 50 g 500 g	10 packages 35 packages 24 packages 60 packages 20 packages	2 800 py6./kg 220 py6./pcs 431 py6./pcs 118 py6./pcs 910 py6./pcs	The Republic of Kazakhstan
122	Sorbitox / suspension for oral administration /	Treatment of gastrointestinal diseases of calves and piglets. Composition: 1 ml contains 40 mg of glucose, 9 mg of sodium chloride, 1.5 mg of furazolidone, 10 mg of sulfadimezine, 30 mg of sodium thiosulfate.	500 ml	24 vialoha	100,5 py6./pcs	The Republic of Kazakhstan
123	Streptomycin sulfate / powder for injection /	Treatment of bacterial infections. Composition: 1 g 730 mg of streptomycin sulfate.	1 φl - 1 g of active substance	50 vials; 600 vials	13 py6./vial	The Republic of Kazakhstan
124	Streptopen / suspension for injection /	Applied for the treatment of bacterial diseases in farm animals. Composition: in 1 ml contains 200 mg of benzylpenicillin procaine, 200 mg dihydrostreptomycin sulfate.	100 ml 50 ml	40 vials 6 vials	490 py6./vial 310 py6./vial	The Republic of Kazakhstan
125	Sulfastriem / injection solution /	Applied for the treatment of colibacillosis, pasteurellosis, salmonellosis, respiratory diseases, as well as infectious pathologies of the gastrointestinal and genitourinary tracts of cattle, pigs, sheep and goats. Composition: 1 ml contains 50 mg of azithromycin, 20 mg of trimethoprim, 200 mg of sulfadimethoxin, 0.1 mg of dexamethasone.	100 ml 50 ml	40 vials 6 vials	350 py6./vial 190 py6./vial	The Republic of Kazakhstan
126	Sulfatrimet / suspension for injection /	Applied for the treatment of large, small cattle, horses, camels, pigs, dogs and cats in diseases of bacterial etiology. Composition: 1 ml contains sodium sulfadiazine - 400 mg, trimethoprim-80 mg and ancillary components.	10 ml 100 ml 50 ml	50 vials 40 vials 6 vials	50 py6./vial 400 py6./vial 215 py6./l	The Republic of Kazakhstan
127	Levomycetin tablets	Treatment of bacterial infections. Composition: in 1 table. 0.5 g contains 0.25 g of levomycetin.	pot 100 tablets pot 500 tablets	12 pots 18 pots	312 py6./pcs 1 315 py6./pcs	Республика Армения
128	Oxytetracycline hydrochloride tablets	Treatment of bacterial infections. Composition: 0.25 g of active substance oxytetracycline hydrochloride and auxiliary substances.	pot 100 tablets pot 250 tablets	10 pots 24 pots	95 py6./pcs 235 py6./pcs	The Republic of Kazakhstan

129	Tablets of tetracycline hydrochloride	Treatment of bacterial infections. Composition: 1 table contains 0.5 g of tetracycline hydrochloride.	pot 100 tablets	35 pots	255 py6./pcs	The Republic of Kazakhstan
			pot 1000 tablets	10 pots	2 370 py6./pcs	
			pot 250 tablets	24 pots	600 py6./pcs	
			pot 50 tablets	60 pots	130 py6./pcs	
			pot 500 tablets	18 pots	1 200 py6./pcs	
130	Tylosin BHF 200 / injection solution /	Treatment of pneumonia, mastitis, pneumoenteritis, dysentery, arthritis, atrophic rhinitis, agalactia, etc. Composition: 1 ml contains 200 mg of tylosin tartrate.	10 ml	50 vials	39 py6./vial	The Republic of Kazakhstan
			100 ml	35 vials	230 py6./vial	
			50 ml	40 vials	132 py6./vial	
131	Tylosin 50 (5%) / antibiotic, injection /	Treatment of pneumonia, mastitis, pneumoenteritis, dysentery, arthritis, atrophic rhinitis, agalactia, etc. Composition: 1 ml contains 50 mg of tylosin tartrate.	10 ml	50 vials	22,5 py6./vial	Republic of Belarus
			100 ml	10 vials	115 py6./vial	
			50 ml	6 vials	65 py6./vial	
132	Tilopak / injection solution /	Applied for the treatment of bronchopneumonia of large and small cattle, pigs, dogs and cats; enzootic pneumonia, arthritis, dysentery, atrophic rhinitis of pigs, erysipelas of pigs; infectious agalactias of sheep and goats, mastitis of cattle and treatment of secondary infections in viral diseases. Composition: 1 ml contains 100 mg of tylosin tartrate, 20 mg of spectinomycin hydrochloride.	100 ml	35 vials	162 py6./vial	The Republic of Kazakhstan
133	Trimeramim BHF / powder for oral administration /	Treatment of bacterial, septic, infectious diseases of farm animals (except dairy cows). Composition: 1 gram contains 0.1 g of sulfamerazine, 0.02 g of trimethoprim.	1 kg	15 packages	550 py6./pcs	The Republic of Kazakhstan
134	Trimeramim BHF / tablet 0.7 g /	Treatment of bacterial, septic, infectious diseases of farm animals (except dairy cows). Composition: 1 gram contains 0.4 g of sulfamerazine, 0.08 g of trimethoprim.	300 g powder	15 packages	175 py6./pcs	The Republic of Kazakhstan
			pot 100 tablets	35 pots	175 py6./pcs	
			pot 250 tablets	24 pots	410 py6./pcs	
			pot 50 tablets	60 pots	95 py6./pcs	
			pot 500 tablets	18 pots	870 py6./pcs	
135	Trisulfox / injection solution /	Treatment of infectious diseases of animals and poultry of bacterial and mycoplasmal etiology. Composition: 1 ml contains 200 mg of sulfadimethoxin, 110 mg of oxytetracycline hydrochloride, 40 mg of trimethoprim.	100 ml	40 vials	330 py6./vial	The Republic of Kazakhstan
			50 ml	6 vials	180 py6./vial	
136	Tripharm	Treatment of bacterial infections. Composition: 5 grams (1 dose) contains 400,000 units of unzyphenicillin sodium salt, 500,000 units of streptomycin ED, 4.36 g of sulfanilamide (streptocid white).	1 pot - 10 g	300 pots	37,5 py6./pcs	The Republic of Kazakhstan
137	Pharmaseptol	A complex preparation of a broad spectrum of bactericidal and bacteriostatic action. Composition: 100 g contains 8.0 g of norsulfazole, 7.0 g of sulgin, 3.0 g of trimethoprim, 4.5 g of oxytetracycline hydrochloride, 2.5 g of tilosine tartrate and auxiliary substances.	1 pot - 12 g	30 pots	23 py6./pcs	The Republic of Kazakhstan
			1 pot - 500 g	4 packages	535 py6./pcs	
			1 kg powder	15 packages	1 035 py6./pcs	
138	Phenilopharm	For the treatment of inflammatory processes and allergic conditions in solipeds, ruminants, camels, pigs, dogs and cats. Composition: 1 ml contains 200 mg of phenylbutazone.	10 ml	50 vials	70 py6./pcs	The Republic of Kazakhstan
			100 ml	10 vials	300 py6./pcs	
			50 ml	6 vials	180 py6./pcs	
139	Floranitis / injection solution /	The drug is effective in the treatment of animals with diseases of the respiratory, genitourinary and gastrointestinal tract; with keratoconjunctivitis of bacterial etiology .. Composition: 1 ml contains 300 mg of florfenicol.	10 ml	50 vials	78 py6./vial	The Republic of Kazakhstan
			100 ml	40 vials	600 py6./vial	
			50 ml	6 vials	320 py6./vial	
140	Florinex / solution for injection /	Antibiotic. Has a broad spectrum of antibacterial action against aerobic and anaerobic, gram-positive and gram-negative bacteria. Composition: 1 ml contains 300 mg of florfenicol, 27.4 mg of flunixin meglumine (corresponding to 16.5 mg of flunixin).	10 ml	50 vials	75 py6./vial	The Republic of Kazakhstan
			100 ml	40 vials	590 py6./vial	
			50 ml	6 vials	300 py6./vial	
141	Cefoclav	Prevention and treatment of pigs, rabbits, cattle, sheep and goats in diseases of bacterial etiology. Composition: in 1 ml contains cefoperazone-50 mg, sulbactam-10 mg and auxiliary substances.	10 ml	50 vials	75 py6./pcs	The Republic of Kazakhstan
			100 ml	40 vials	580 py6./pcs	
			50 ml	6 vials	320 py6./pcs	
142	Ceftipharm	Applied for the treatment of infectious diseases of bacterial etiology caused by microorganisms sensitive to ceftiofur. Composition: 1 ml contains 50 mg of ceftiofur in the form of hydrochloride, auxiliary components.	100 ml	35 vials	560 py6./vial	The Republic of Kazakhstan
143	Enroprim plus	For the treatment of infectious diseases of animals and poultry bacterial and mycoplasmal etiology. Composition: 1 g contains sulfadimethoxin - 200 mg, enrofloxacin - 50 mg, trimethoprim - 40 mg and excipient.	1 kg	10 pots	1 050 py6./pcs	The Republic of Kazakhstan
			100 g	35 pots	120 py6./pcs	
			200 g	24 pots	232,5 py6./pcs	
			50 g	60 pots	70 py6./pcs	
			500 g	20 pots	530 py6./pcs	
144	Enrosan 10% / solution for injection /	Applied with diseases of the respiratory system, digestive tract and urogenital system caused by bacteria and mycoplasmas. Composition: 1 ml contains 100 mg of enrofloxacin.	10 ml	50 vials	37 py6./vial	The Republic of Kazakhstan
			100 ml	35 vials	120 py6./vial	
			50 ml	40 vials	65 py6./vial	
145	Enrosan 2,5% / solution for injection /	Applied with diseases of the respiratory system, digestive tract and urogenital system caused by bacteria and mycoplasmas. Composition: 1 ml contains 2.5 mg of enrofloxacin.	10 ml	50 vials	26 py6./vial	The Republic of Kazakhstan
			100 ml	35 vials	86 py6./vial	
			50 ml	40 vials	50 py6./vial	
146	Enrosan 5% / solution for injection /	Applied with diseases of the respiratory system, digestive tract and urogenital system caused by bacteria and mycoplasmas. Composition: 1 ml contains 50 mg of enrofloxacin.	10 ml	50 vials	34 py6./vial	The Republic of Kazakhstan
			100 ml	40 vials	93 py6./vial	
			50 ml	40 vials	55 py6./vial	

OBSTETRIC AND GYNECOLOGICAL DRUGS

GYNECOLOGICAL DRUGS

147	Biometrosanit / intrauterine foam-forming tablets /	Treatment and prevention of inflammatory processes of the uterus. Composition: 1 tablet of 20 g contains 1.2 grams of furazolidone, 720000 ED of nystatin, 0.6 g of metronidazole, a foaming base.	20 tablets	240 tablets	35 py6./pcs	Республика Армения
148	Ihglyukovit / solution for injection /	Treatment and prevention of endometritis and subinvolution of the uterus of cows. Composition: 1.0 cm ³ contains 35 mg of ichthyol, 200 mg of glucose, 20 mg of ascorbic acid, 20 mg of ethyl alcohol and water for injection for 1.0 cm ³ .	100 ml	35 vials	32 py6./vial	Republic of Belarus
			200 ml	30 vials	50 py6./vial	
			400 ml	15 vials	81 py6./vial	
149	Ichthyofur / intrauterine sticks /	Prophylaxis and treatment of endometritis in cows. Composition: 1 stick of 10 g contains 0.5 g of ichthyol, 0.5 g of furazolidone and polyethylene oxide or gelatin glycerol base.	10 pcs in a package	100 packages	72 py6./pack	The Republic of Kazakhstan
150	Iodometrine / intrauterine foam-forming tablets, drug without antibiotics /	Applied for the prevention and treatment of gynecological diseases (endometritis, metritis) and postpartum pathologies. Composition: 1 tablet of 20 g contains potassium iodide-624 mg, bismuth salts with total bismuth -336 mg carbacholin-2 mg, and also a foaming drug base.	20 tablets	240 tablets	25 py6./pcs	The Republic of Kazakhstan
151	Iodosept / drug without antibiotics /	Treatment of endometritis and mastitis. Composition: 1 ml contains 13 mg of potassium iodide, 1 mg of bismuth salt with total bismuth, 1 mg of prednisolone in a hydrophilic base and excipients.	1, 3, 5, 10 litres	12 cylinders	400 py6./l	The Republic of Kazakhstan
			10 ml syringe	20 syringeas; 160 syringeas	25 py6./pcs	
			100 ml	35 vials	59 py6./vial	
			100 ml aerosol can	12 cylinders	140 py6./pcs	
152	Metramboxamine / intrauterine solution /	Prophylaxis and treatment of endometritis. Composition: in 1 ml contains florfenicol-40 mg, oxytetracycline hydrochloride-40 mg, sulfadimezine-20 mg, nystatin-10 mg, carbachol-0.03 mg, and as auxiliary substances - lidocaine, ascorbic acid, β-carotene and 1, 2-propylene glycol.	1 liter	12 cans	1 355 py6./pcs	The Republic of Kazakhstan
			100 ml syringe және	2 syringeas	270 py6./pcs	
153	Metaseptol-A / intrauterine solution /	Prophylaxis and treatment of endometritis. Composition: as active Composition in 1 ml: tylosin tartrate - 5 mg, neomycin - 10 mg (as neomycin sulfate), carbachol - 0.03 mg, β-carotene - 0.08 mg, and as auxiliary substances 1, 2-propylene glycol 360 mg, distilled water - up to 1ml.	1 liter	12 cans	281,5 py6./pcs	The Republic of Kazakhstan
154	Metryl / emulsion for intrauterine administration /	For the prevention and treatment of acute and chronic endometritis in animals. Composition: 1 g contains 300 mg of ASD-2 and auxiliary substances.	1 liter	12 vials	1 210 py6./pcs	The Republic of Kazakhstan
155	Metricid / suspension for intrauterine administration /	Treatment and prevention of endometritis in cows, mares, camels, pigs, sheep and goats. Especially effective in subacute and chronic forms. Composition: 1 ml contains as active ingredient cefazolin - 100 mg, prednisolone - 0.05 g, and filler up to - 1 ml.	100 ml	35 vials	135 py6./vial	The Republic of Kazakhstan
			20 ml syringe	120 syringeas	170 py6./pcs	
156	Metrobiotic / intrauterine foam-forming tablets /	Treatment and prevention of postpartum infections of genital organs in cows and pigs. Composition: in 1 table of 20 g contains 0.25 g of neomycin sulfate, 0.45 g of oxytetracycline hydrochloride, 8,10000 IU of nystatin, a foaming base.	20 tablets	240 tablets	28 py6./pcs	Republic of Belarus

157	Metromax / intrauterine foam-forming tablets /	Applied for the treatment of acute and chronic diseases. Compositon: 1 tablet of 20 grams contains 4 g of sulfadiazine, 0.05 g of neomycin sulfate, 0.05 g of tetracycline hydrochloride, and a foaming filler.	20 tablets	12 pots	23 руб./pcs	The Republic of Kazakhstan
-----	-------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------	---------	-------------	----------------------------

158	Metrosept / intrauterine sticks /	Treatment and prevention of metritis in farm animals. Composition: 10 g contains 1 g of ichthyol and a filler.	10 pcs in a package	100 packages	75 pyб./pack	The Republic of Kazakhstan
159	Neofur / intrauterine sticks /	Treatment and prevention of gynecological diseases in cows. Composition: 1 gram of 10 g contains 0.5 g of furazolidone, 0.25 g of neomycin and polyethylene oxide or gelatin glycerol base.	10 pcs in a package	100 packages	75 pyб./pack	The Republic of Kazakhstan
160	Ricol / intrauterine foam-forming tablets /	Applied for the treatment of gynecological diseases. Composition: 1 gram of 20 gr contains 1 gram of rifampicin, 11,000,000 M.E. colistin sulfate, carbacholin and a foaming base.	20 tablets	240 tablets	40 pyб./pcs	Republic of Belarus
161	Septotometrol / intrauterine foam-forming tablets /	Treatment and prevention of inflammatory processes of the uterus. Composition: 1 tablet of 20 g contains 1200 mg of furazolidone, 1000 mg of metronidazole, 120 mg of nystatin, 2 mg of carbachol, 800 mg of tylosin tartrate, a foaming base.	20 tablets	240 tablets	32 pyб./pcs	The Republic of Kazakhstan
162	Furoil / intrauterine sticks with furazolidone /	Treatment and prevention of inflammatory processes in the uterus. Composition: 1 gram of 10 g weight contains 1 g of furazolidone, polyethylene oxide or gelatin glycerol base.	10 pcs in a package	100 packages	80 pyб./pack	The Republic of Kazakhstan
163	Enropene / intrauterine foam-forming tablets /	Treatment and prevention of inflammatory processes in the uterus. For the prevention and treatment of infections of the genital organs in cows, mares, camels, pigs, sheep and goats. Composition: in 1 table. a mass of 20 g contains 0.2 g of enrofloxacin, 1 g of benzylpenicillin procaine and a foaming base. Composition: 1 gram of 10 g weight contains 1 g of furazolidone, polyethylene oxide or gelatin glycerol base.	20 tablets	240 tablets	38 pyб./pcs	The Republic of Kazakhstan
164	Eridone / intrauterine foam-forming tablets /	Treatment and prevention of septic processes of the vulva, vagina, cervix (vulvitis, cervicitis, salpingitis, metritis) in animals. Composition: 1 gram of 20 gr contains 2 g of florfenicol, 2 g of oxytetracycline hydrochloride, 1 g of sulfadiazine, 8,10000 IU of nystatin, 0.002 g of carbacholin and a foaming base.	20 tablets	240 tablets	75 pyб./pcs	The Republic of Kazakhstan

HORMONAL DRUGS

165	Dexamethasone 0.4% / solution for injection /	Treatment of inflammatory processes and allergic conditions, in particular: rheumatism, polyarthritis, tendovaginitis, bursitis, eczema, bronchial asthma, as well as ketosis, tetany, shock, MMA syndrome, edematous disease, stresses and toxicosis of pigs in order to prevent allergic reactions during vaccinations. Composition: 1 ml contains 4 mg of dexamethasone sodium phosphate and excipients.	100 ml	10 vials	250 pyб./vial	The Republic of Kazakhstan
166	Oxytocin 10 units /injection/	It is used for mild labor, delayed aftertreatment, atony, hypotension and inflammation of the uterus, uterine bleeding, with reflex agalactics, mastitis. Composition: 1 ml contains 10 units of oxytocin (a synthetic analogue of the polypeptide hormone of the posterior part of the pituitary gland).	10 ml	50 vials; 600 vials	17 pyб./vial	Republic of Belarus
			100 ml	35 vials	62 pyб./vial	
			200 ml	30 vials	110 pyб./vial	
167	Oxytocin 5 units /injection/	It is used for mild labor, delayed aftertreatment, atony, hypotension and inflammation of the uterus, uterine bleeding, with reflex agalactics, mastitis. Composition: 1 ml contains 5 units of oxytocin (a synthetic analogue of the polypeptide hormone of the posterior part of the pituitary gland).	10 ml	50 vials; 600 vials	17.5 pyб./vial	The Republic of Kazakhstan
			100 ml	35 vials	48 pyб./vial	
			200 ml	30 vials	74.5 pyб./vial	
168	Progesterone 2.5% / solution for injection /	It reduces excitability and contraction of the uterus musculature, promotes the development of the zygote and placenta, stimulates the functional activity of the breast. Composition: 1 ml contains 25 mg of progesterone and a solvent of olive oil up to 1 ml.	10 ml	50 vials	45 pyб./vial	Republic of Belarus
169	Synestrol 2% / solution for injection /	They are used to stimulate hunting in yalovyn cows and mares, with acute and chronic endometritis, to remove the afterburn and mummified fetuses, to enhance the function of the mammary glands. Composition: 1 ml contains 20 mg of synestrol.	1 ml	100 vials	25 pyб./vial	The Republic of Kazakhstan
			10 ml	50 vials	75 pyб./vial	
170	Estropharm / injection solution /	They are used intramuscularly to synchronize sexual hunting in cows and heifers; treatment of cows with lutein and follicular cysts. Composition: 1 ml contains 0.25 mg of cloprostenol D.	10 ml	50 vials	215 pyб./vial	The Republic of Kazakhstan
			2 ml	450 vials	54 pyб./vial	

ANTI-MASTITIS DRUGS

171	Amoxiclavumast	To treat purulent mastitis of bacterial etiology and induce udder in lactating animals. Composition: 1 ml contains 20 mg of amoxicillin trihydrate, 5 mg of clavulanic acid, 1 mg of prednisolone and a prolonging base.	10 ml	20 syringeos	32 pyб./pcs	The Republic of Kazakhstan
172	Vinilin / drug without antibiotics /	Treatment of wounds of various origin, endometritis, all types of mastitis and induration of the udder. Composition: 1 ml contains 500 mg of polyvinyl (polyvinylbutyl ether).	1 liter	12 buckets	1 790 pyб./pcs	The Republic of Kazakhstan
			100 ml	20 vials	200 pyб./vial	
			100 ml aerosol can	9 cylinders; 72 cylinders	185 pyб./pcs	
			170 ml aerosol can	6 cylinders; 54 cylinders	240 pyб./pcs	
173	Dexamast	For the prevention and treatment of mastitis in cows, sheep and goats during lactation. Composition: in 1 ml. contains 25 mg of cloxacillin sodium salt, 25 mg of neomycin sulfate, 1 mg of dexamethasone, 0.5 mg of sodium phosphate, 0.5 mg of trypsin.	10 ml	20 syringeos; 160 syringeos	45 pyб./pcs	The Republic of Kazakhstan
174	Iodomast / drug without antibiotics /	Treatment of all types of mastitis. Composition: in 100 ml contains 0.1 g of potassium iodide, 0.12 g of bismuth salts, 0.12 g of prednisolone, 1 g of procaine, prolonging basis.	10 ml	20 syringeos; 160 syringeos	32 pyб./pcs	The Republic of Kazakhstan
			100 ml	40 vials	99 pyб./vial	
175	Levomast	For the treatment of clinical and subclinical mastitis in cows, mares, camels, sheep, goats. Composition: 1 ml contains 20 mg of florfenicol, 50 mg of sulfadiazine, 1 mg of prednisolone and an ointment base.	10 ml	20 syringeos; 160 syringeos	30 pyб./pcs	The Republic of Kazakhstan
			100 ml	35 vials	99 pyб./vial	
176	Mastikan	Treatment of all kinds of acute mastitis and udder induring in lactating cows, sheep and goats. Composition: 1 ml contains kanamycin sulfate-10 mg, benzylpenicillin sodium salt-20 mg, prednisolone-1 mg and excipient.	10 ml	20 syringeos; 160 syringeos	33 pyб./pcs	The Republic of Kazakhstan
			100 ml	35 vials	98.5 pyб./vial	
177	Mastyclox	It is used to start animals, prevent udder induration and develop the glandular part of the udder. Composition: 1 ml contains 50 mg of cloxacillin, prolonging the base.	10 ml	20 syringeos; 160 syringeos	45 pyб./pcs	The Republic of Kazakhstan
			100 ml	35 vials	265 pyб./vial	
178	Maskitol-forte	Applied for the treatment of clinical and subclinical mastitis cattle during lactation; otitis and skin infections in cats and dogs; balanoposthitis in animals. Composition: 1 ml of the drug contains tetracycline hydrochloride 20 mg, neomycin sulfate 25 mg, bacitracin 3.5 mg, auxiliary and formative substances.	10 ml	20 syringeos; 160 syringeos	34 pyб./pcs	Republic of Belarus
			100 ml	35 vials	125 pyб./vial	
179	Mastisan A	Treatment and prevention of various forms of inflammation of the udder (all types of mastitis). Composition: 1 dose (5 ml) contains benzylpenicillin sodium salt - 100 000 units; streptomycin sulfate 100 100 U; sulfadiazine - 0.35 g; base up to 5 ml.	10 ml	20 syringeos; 160 syringeos	26.5 pyб./pcs	The Republic of Kazakhstan
			100 ml	35 vials	89 pyб./vial	
			50 ml	48 vials	62.5 pyб./vial	
180	Mastisan B	Treatment and prevention of various forms of inflammation of the udder (all types of mastitis). Composition: 1 ml contains 5000 units of neomycin sulfate, 50 mg of sulfadiazine, 70 mg of methyluracil, and a vehicle.	10 ml	20 syringeos; 160 syringeos	28 pyб./pcs	The Republic of Kazakhstan
			100 ml	35 vials	67 pyб./vial	
			50 ml	40 vials	57.5 pyб./vial	
181	Mastitrim	For treatment of purulent mastitis in cows, buffaloes, sheep and goats. Composition: 1 ml contains 4 mg of trimethoprim, 20 mg of sulfadiazine, 1 mg of prednisolone, a prolonging base.	10 ml	20 syringeos; 160 syringeos	25 pyб./pcs	The Republic of Kazakhstan
			100 ml	35 vials	72 pyб./vial	
182	Mastiforte	For treatment of purulent mastitis. Composition: 1 ml contains cloxacillin sodium salt - 20 mg, amoxicillin trihydrate - 7.5 mg, and excipients - up to 1 ml.	10 ml	20 syringeos; 160 syringeos	29 pyб./pcs	The Republic of Kazakhstan
183	Mastodinon	They are used to treat mastitis in lactating cows. Composition: 1 ml of the drug contains 10 mg of benzylpenicillin sodium, 10.5 mg of neomycin sulfate, 10,000 IU of procaine penicillin, 10 mg dihydrostreptomycin sulfate, 1 mg prednisolone and excipients.	10 ml	20 syringeos; 160 syringeos	37 pyб./pcs	The Republic of Kazakhstan
184	Mastoxidine 1% (dioxidin 1%) / topical solution /	Treatment of latent mastitis. Composition: 1 ml contains 10 mg of dioxidine (hydroxymethylquinoxaline dioxide).	100 ml	35 vials	56 pyб./vial	The Republic of Kazakhstan
185	Neolink	Treatment of purulent mastitis. Composition: 1 ml contains 15 mg of neomycin sulfate, 20 mg of lincomycin hydrochloride, 1 mg of prednisolone, a sustained base.	10 ml	20 syringeos; 160 syringeos	28 pyб./pcs	The Republic of Kazakhstan
			100 ml	35 vials	90 pyб./vial	
186	Neomast-forte	To treat mastitis and induce udders in cows. Composition: 1 ml contains 50 mg sulfadiazine, 5.6 mg erythromycin, 10 mg quinazone, 1 mg prednisolone, excipient.	10 ml	20 syringeos	32 pyб./pcs	The Republic of Kazakhstan
			100 ml	35 vials	100 pyб./vial	
187	Neomastaerosol-forte / aerosol preparation /	To treat mastitis and induce udders in cows. Composition: 1 ml contains 50 mg of sulfadiazine, 30 mg of erythromycin, 8 mg of lidocaine, 2.5 mg of 8-hydroxyquinoline sulfate, 1 mg of prednisolone, excipients.	100 ml aerosol can	12 cylinders	140 pyб./pcs	The Republic of Kazakhstan
			170 ml aerosol can	12 cylinders	195 pyб./pcs	
188	Trimast	Treatment of all types of mastitis in animals. Composition: 1 ml contains oxytetracycline hydrochloride-50 mg, furazolidone-50 mg, prednisolone-1 mg and excipient.	10 ml	20 syringeos; 160 syringeos	29 pyб./pcs	The Republic of Kazakhstan
			100 ml	35 vials	87.5 pyб./vial	
189	Cefamast	For the treatment of serous and catarrhal mastitis in cows. Composition: 1 ml contains 50 mg of cefazolin, 1 mg of prednisolone, 10 mg of novocaine and a fillment.	10 ml	20 syringeos; 160 syringeos	42 pyб./pcs	The Republic of Kazakhstan

DERATIZATIONAL DRUGS

190	Diphenacin 1% / oily solution /	A drug for fighting rodent mice at the sites of veterinary surveillance. Composition: 1 gram contains 10 mg of diphenacin (2-diphenylacetyl-indanedione-1,3).	1, 3, 5, 10 liters	11 - 12 cans	750 pyб./l	does not require registration
			100 ml	35 vials	95 pyб./vial	
191	Zeracid / poisoned bait /	Grain bait for the destruction of rodents. Composition: 1 gram contains 0.2 mg of difenacin.	1, 5, 10 kg	-----/-----	170 pyб./kg	does not require registration
			100 g	24 pots	28 pyб./бан	
			200 g	12 pots	41 pyб./pcs	
			500 g	12 pots	112 pyб./pcs	
192	Zoosorbide / poison bait /	Grain bait for the destruction of rodents. Composition: 1 mg of zookoumarin will be contained in 1 gram.	1, 5, 10 kg	-----/-----	280 pyб./kg	does not require registration
			100 g	24 pots	49 pyб./pcs	
			200 g	12 pots	75 pyб./pcs	
			500 g	12 pots	181 pyб./pcs	
193	Glue from rodents and insect pests	A universal remedy for the destruction of mice and rats, flies, garden pests. DOES NOT CONTAIN POISONS.	150 g tube	35 tube	215 pyб./pcs	does not require registration
			pot 250 g	24 pots	305 pyб./pcs	
194	Penobrom / foam /	Used for the manufacture of poisoned baits, deratant poisonous coatings and plugging of holes in burrows of rodents. Composition: 1 gram contains 0.05 mg of bromadiolone.	170 ml aerosol can	15 cylinders	115 pyб./pcs	does not require registration
195	Penocoumarin / foam /	A drug for fighting rats and mice. Composition: 1 gram contains 10 mg of sodium salt of zookoumarin.	170 ml aerosol can	15 cylinders	187 pyб./pcs	does not require registration
			350 ml aerosol can	15 cylinders	230 pyб./pcs	
196	Penocin / foam /	Foam composition in aerosol packaging. It is used for the production of poisoned baits, deratant poisonous coatings and blockage of rodent burrows. Composition: 1 gram contains 10 mg of diphenacin.	170 ml aerosol can	15 cylinders	120 pyб./pcs	does not require registration
197	Universal glue trough for catching insects and rodents "MUKHOLOV" single-layer	It is designed for the destruction of insects and rodents in residential, public and livestock premises (poultry houses, pigsties, barns) meat processing plants, industrial and subsidiary premises, grain storage facilities, both inside and outside buildings, in forests, gardens, orchards, greenhouses. It is also used as a hunting belt on fruit trees. DOES NOT CONTAIN POISONS.	width 15 cm, length 1 m	24	42 pyб./pcs	does not require registration
			width 15 cm, length 10 m	24	239 pyб./pcs	
			width 15 cm, length 2 m	24	66 pyб./pcs	
			width 15 cm, length 5 m	24	135 pyб./pcs	
			width 30 cm, length 1 m	24	79 pyб./pcs	
			width 30 cm, length 10 m	24	490 pyб./pcs	
			width 30 cm, length 2 m	24	130 pyб./pcs	
			width 30 cm, length 5 m	24	265 pyб./pcs	
			width 8 cm, length 1 m	24	32 pyб./pcs	
			width 8 cm, length 10 m	24	141 pyб./pcs	
			width 8 cm, length 2 m	24	47 pyб./pcs	
			width 8 cm, length 5 m	24	82 pyб./pcs	
198	Universal glue trough for catching insects and rodents "MUKHOLOV" two-layer	It is designed for the destruction of insects and rodents in residential, public and livestock premises (poultry houses, pigsties, barns) meat processing plants, industrial and subsidiary premises, grain storage facilities, both inside and outside buildings, in forests, gardens, orchards, greenhouses. It is also used as a hunting belt on fruit trees. DOES NOT CONTAIN POISONS.	width 15 cm, length 1 m	24	75 pyб./pcs	does not require registration
			width 15 cm, length 2 m	24	106 pyб./pcs	
			width 15 cm, length 5 m	24	215 pyб./pcs	
			width 30 cm, length 1 m	24	115 pyб./pcs	
			width 30 cm, length 10 m	24	775 pyб./pcs	
			width 30 cm, length 2 m	24	176 pyб./pcs	
			width 30 cm, length 5 m	24	395 pyб./pcs	

OTHER PHARMACEUTICAL GROUPS

DISINFECTING PREPARATIONS

199	Ascozol	It has bactericidal, sporicidal, virucidal action. Composition: 1 ml contains 40 mg of acetylsalicylic acid, 20 mg of triethanolamine and excipient.	1 l non-propellant spray bottle	7 cylinders	450 pyб./pcs	does not require registration
			1, 3, 5, 10 liters	12 cylinders	440 pyб./l	
			170 ml aerosol can	15 cylinders	125 pyб./pcs	
			500 ml non-propellant spray bottle	15 cylinders	415 pyб./pcs	
200	Glac	It has bactericidal, sporicidal, virucidal action. Does not cause corrosion of metal products. Composition: 100 ml contains 4 g of glutaraldehyde, 3.2 grams of glyoxal, 10 g of alkylidimethylbenzylammonium chloride.	1, 3, 5, 10 liters	12 cylinders	320 pyб./l	The Republic of Kazakhstan
201	Polimet	It is used for simultaneous disinfection and dezinisektoakarizatsii livestock. Has bactericidal and insecticidal action. Composition: 1 ml contains 5 mg of polyhexamethylenguanidine, 5 mg of permethrin.	1 l non-propellant spray bottle	7 cylinders	287 pyб./pcs	does not require registration
			1, 3, 5, 10 liters	12 cylinders	282 pyб./l	
202	Theodez-60	Disinfectant in the form of a concentrated solution, intended for disinfection of vetnadzor objects for the purpose of preventing infectious animal diseases. Composition: 100 ml contains 60 grams of tetramethylene diethylene tetramine and Trilon B.	1 liter	12 vials	600 pyб./pcs	does not require registration

OTHER DRUGS

203	Paint for labeling animals "Rainbow" green 350 ml / spray /	For marking all kinds of animals. Composition: solvent, pigment, hydrocarbon propellant and auxiliary components.	350 ml aerosol can	15 cylinders	140 pyб./pcs	does not require registration
204	Paint for labeling animals "Rainbow" red 350 ml / spray /	For marking all kinds of animals. Composition: solvent, pigment, hydrocarbon propellant and auxiliary components.	350 ml aerosol can	15 cylinders	140 pyб./pcs	does not require registration
205	Paint for labeling animals "Rainbow" blue 350 ml / spray /	For marking all kinds of animals. Composition: solvent, pigment, hydrocarbon propellant and auxiliary components.	350 ml aerosol can	15 cylinders	140 pyб./pcs	does not require registration
206	Pasta for degreasing "Rognet" / analog "Khromos AR" /	Apply to young growth of large and small cattle to prevent the growth of horns. Composition: 1 gram contains 350 ml of sodium hydroxide, 320 ml of calcium hydroxide.	80 g	-----/-----	360 pyб./pcs	The Republic of Kazakhstan
207	Sodium citrate / 2.9% solution /	It is used as a buffer solution for thawing of bull semen. Composition: 1 ml contains 29 mg of sodium citrate.	1 ml	1200 vials	9 pyб./vial	The Republic of Kazakhstan

PREPARATIONS AGAINST DISEASES OF BEES

208	Askostat / aerosol /	It is used for the treatment and prevention of asco-ferosis, aspergillosis and microbial (foulbrood) diseases of bees. Composition: 1 ml contains 600 mg of florfenicol, 600 mg of oxytetracycline hydrochloride, 300 mg of sulfadiazine, 150 mg of nystatin, a filler.	100 ml aerosol can	12 cylinders	130,6 pyб./pcs	The Republic of Kazakhstan
			170 ml aerosol can	12 cylinders	165 pyб./pcs	
209	Askostat / concentrate /	It is used for the treatment and prevention of asco-ferosis, aspergillosis and microbial (foulbrood) diseases of bees. Composition: 1 ml contains 600 mg of florfenicol, 600 mg of oxytetracycline hydrochloride, 300 mg of sulfadiazine, 150 mg of nystatin, a filler.	1 liter	12 vials	1 800 pyб./vial	The Republic of Kazakhstan
			100 ml	35 vials	230 pyб./vial	
			50 ml	40 vials	125 pyб./vial	
			500 ml	24 vialoha	1 000 pyб./vial	
210	Varroatin	Applied for the treatment and prevention of varroatoosis of bees in the spring and autumn periods in the absence of brood in the families of bees. Composition: 1 ml contains 2.4 mg of fluvinate, 50 mg of oxalic acid and a vehicle.	100 ml aerosol can	12 cylinders	104,58 pyб./pcs	The Republic of Kazakhstan
			170 ml aerosol can	12 cylinders	115 pyб./pcs	
			350 ml aerosol can	12 cylinders	160 pyб./pcs	

211	Vetsan	For the disinfection of hives, beekeeping equipment and overalls, with infectious and parasitic diseases of bees. Composition: in 1 ml contains 235 mg of hydrogen peroxide, 33 mg of oxalic acid and a filler.	500 ml non-propellant spray bottle	15 vials	210 руб./pcs	does not require registration
-----	--------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------	----------	--------------	----------------------------------

212	Nosematol	Combined antimicrobial agent for the treatment of nosematosis of bee-protozoal invasions caused by the causative agent <i>Nozema apis</i> and concomitant obligate anaerobic bacteria. Compositon: 1 ml contains 5.9 mg of sulfadimezine, 0.025 mg of totrazuril and excipient.	100 ml aerosol can	15 cylinders	95 руб./pcs	The Republic of Kazakhstan
-----	-----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------	--------------	-------------	----------------------------



BIOHIMFARM

600910, RUSSIA, VLADIMIR OBLAST,
RADUZHNYI, P/O BOX 74, TEL.: 8 (49254)32-650, 32-795

The price-list from 01.11.2018.
for veterinary preparations of other manufacturers for wholesale buyers

No	Name	Indication	Packing	Amount in a package	Цена с НДС (руб.)	Registration country
----	------	------------	---------	---------------------	-------------------	----------------------

ANTIBACTERIAL AND ANTI-INFLAMMATORY DRUGS

ANTIBACTERIAL AND ANTI-INFLAMMATORY DRUGS

1		лечения гнойных маститов бактериальной этиологии и индурации вымени у лактирующих животных. Состав: в 1 мл содержится 150 мг амоксициллина тригидрата, 5 мг клавулановой кислоты, 1 мг преднизолона и пролонгирующая основа.	100 ml	50 vials	210 руб./vial	Republic of Belarus
2		ление трихомоноза КРС, балантитидоза и дизентерии свиней, гистомоноза гусей и индеек. Состав: в 1 мл содержится 200 мг окситетрациклина.	100 ml	50 vials	205,4 руб./vial	Republic of Belarus
3		ение пневмонии, мастита, пневмоэнтерита, дизентерии, артрита, атрофического ринита, агалактии и др. Состав: в 1 мл содержится 200 мг тилозина тартрата.	100 ml	50 vials	260 руб./vial	Republic of Belarus
4		ение бактериальных, септических, инфекционных болезней с/х животных (кроме дойных коров). Состав: в 1 гр содержится 0.1 гр сульфамеразина, 0,02 гр триметоприма.	1 kg powder	15 packages	842 руб./vial	Republic of Belarus
5		лечения бактериальных заболеваний КРС, лошадей, верблюдов, овец, коз, свиней, собак, кошек, кроликов и домашней птицы (кур, уток, гусей, индеек, перепелов, голубей), локализованных в ЖКТ, дыхательных путях, мочеполовой системе, вызванных микроорганизмами, чувствительными к комбинации сульфадиметоксин-энрофлоксацин-триметоприм. Состав: в 1 мл содержится 100 мг энрофлоксацина.	100 ml	50 vials	115 руб./vial	Republic of Belarus

OBSTETRIC AND GYNECOLOGICAL DRUGS

GYNECOLOGICAL DRUGS

6		филактика и лечение эндометритов. Состав: в 1 мл содержится 5 мг тилозина тартрата, 10 мг неомицина сульфата, 0.03 мг карбахолина, 2 мг бета-каротин.	1 liter	9 cans	431,3 руб./vial	Republic of Belarus
7		твор для внутримышечного применения. Состав: в 1 мл содержится 90000 ЕД колистина сульфата, 3 мг гентамицина сульфата, 1,7 пропранолола.	1 liter	15 vials	405 руб./fl	Republic of Belarus
8		твор для внутримышечного применения. Состав: в 1 мл содержится 90000 ЕД колистина сульфата, 10000 ЕД тилозина тартрата, 1,7 пропранолола.	1 liter	15 vials	395 руб./fl	Republic of Belarus

ANTI-MASTITIS DRUGS

9		тав: в 1 шприце содержится 350 мг цефалексина и 35 мг гентамицина.	10 ml syringe	32/256	49 руб./syringe	Republic of Belarus
---	--	--------------------------------------------------------------------	---------------	--------	-----------------	---------------------

We carry out scientific and practical advisory activities.

At the request of the client, the preparation of the preparation can be changed. At the same time, the price is considered individually.
We will carry out the dispatch of air, - auto, - railway - transport.
Call us! Order it! Come!

Any form of payment. For regular customers we provide discounts.
Our address and details:
600910, Vladimir Region, Raduzhny, Kwartal 16
Mailing address: 600910, Vladimir Region, Raduzhny, PO Box 74
BIC 044525600
TIN 3328464312
OKPO 89767728
s/a 40702810800260004589
c/a 30101810300000000600
PJSC "MINBANK", MOSCOW

**WITH ATTENTION,
LOVE AND CARE!**